



Commonwealth of Pennsylvania
Insurance Department

Children's Health Insurance Program
HEDIS[®] 2014 Comprehensive Report

FINAL REPORT

Completed on: December 10, 2014

IPRO Corporate Headquarters
Managed Care Department
1979 Marcus Avenue
Lake Success, NY 11042-1002
phone: (516) 326-7767
fax: (516) 326-6177
www.ipro.org



TABLE OF CONTENTS

INTRODUCTION	3
ACCESS TO CARE	5
CHILDREN AND ADOLESCENTS’ ACCESS TO PRIMARY CARE PRACTITIONERS (CAP)	6
ANNUAL DENTAL VISITS (ADV).....	12
USE OF SERVICES	14
WELL-CHILD VISITS IN THE FIRST 15 MONTHS OF LIFE (W15).....	17
WELL-CHILD VISITS IN THE 3RD, 4TH, 5TH AND 6TH YEARS OF LIFE (W34)	20
ADOLESCENT WELL-CARE VISITS (AWC)	22
AMBULATORY CARE (AMB).....	24
Ambulatory Care – Emergency Department Visits	24
Ambulatory Care - Outpatient Visits.....	29
INPATIENT UTILIZATION - GENERAL HOSPITAL/ACUTE CARE (IPU)	31
Total Inpatient Utilization - Discharges	31
Total Inpatient Utilization – Average Length of Stay.....	32
IDENTIFICATION OF ALCOHOL AND OTHER DRUG SERVICES (IAD).....	34
MENTAL HEALTH UTILIZATION (MPT)	36
EFFECTIVENESS OF CARE	39
WEIGHT ASSESSMENT AND COUNSELING FOR NUTRITION AND PHYSICAL ACTIVITY (WCC).....	41
CHILDHOOD IMMUNIZATION STATUS (CIS)	53
IMMUNIZATIONS FOR ADOLESCENTS (IMA).....	66
LEAD SCREENING IN CHILDREN (LSC).....	70
APPROPRIATE TESTING FOR CHILDREN WITH PHARYNGITIS (CWP)	72
CHLAMYDIA SCREENING IN WOMEN (CHL)	74
APPROPRIATE TREATMENT FOR CHILDREN WITH UPPER RESPIRATORY INFECTION (URI)	76
USE OF APPROPRIATE MEDICATIONS FOR PEOPLE WITH ASTHMA (ASM).....	78
FOLLOW-UP CARE FOR CHILDREN PRESCRIBED ADHD MEDICATION (ADD)	82
FOLLOW UP AFTER HOSPITALIZATION FOR MENTAL ILLNESS (FUH)	85



INTRODUCTION

As part of the Balanced Budget Act of 1997, the United States Congress created Title XXI, the State Children's Health Insurance Program (CHIP), to address the growing problem of children without health insurance. SCHIP was designed as a federal/state partnership, similar to Medicaid, with the goal of expanding health insurance to children whose families earn too much money to be eligible for Medicaid, but not enough money to purchase private insurance. In 1998, the State legislature repealed the existing Children's Health Care Act and enacted Act 1998-68 to establish the current Pennsylvania (PA) CHIP. On February 4, 2009, President Barack Obama signed into law the Children's Health Insurance Program Reauthorization Act of 2009 (CHIPRA) (Pub.L. 111-3). CHIPRA reauthorized CHIP and finances CHIP through Fiscal Year 2015.

PA CHIP is administrated through the Pennsylvania Insurance Department (PID). The program is supported by both state and federal funds. The program provides payment for health care coverage for eligible children who meet income and other criteria. Approximately 155,000 children are enrolled in PA CHIP as of December 2014.

In order for a child to qualify for free or subsidized PA CHIP, the family's income must fall within a certain range **and** the child must:

- Not be eligible for Medicaid or have any other health insurance
- Be under age 19
- Be a citizen of the United States, a permanent legal alien or a refugee as determined by the U.S. Immigration and Naturalization Service
- Be a Pennsylvania resident

Children enrolled in the PA CHIP program receive comprehensive medically necessary or appropriate health care benefits, including but not limited to:

- Immunizations
- Routine check-ups
- Specialty care
- Prescription drugs
- Dental, vision, hearing services
- Emergency care
- Maternity care
- Mental health benefits
- Up to 90 days hospitalization per year
- Durable medical equipment
- Substance abuse treatment
- Partial hospitalization for mental health services
- Rehabilitation therapies
- Home health care



Health Plans in this Report

This report presents data collected from ten health plans (contractors) that provide health care benefits for PA CHIP enrollees.

- *Aetna*: Aetna Health, Inc.
- *Capital Blue Cross (CBC)*: Capital Blue Cross through Keystone Health Plan Central
- *First Priority Health (FPH)*: Blue Cross of Northeastern PA
- *Geisinger (GHP)*: Geisinger Health Plan
- *Highmark Blue Cross/Blue Shield (HBCBS)*: Highmark Inc. through Highmark Blue Cross Blue Shield
- *Highmark Blue Shield (HBS)*: Highmark Inc. through Highmark Blue Shield
- *Keystone Health Plan East (KHPE)*: Independence Blue Cross
- *Kidz Partners (HPPH)*: Health Partners of Philadelphia, Inc
- *UnitedHealthcare (UHCP)*: UnitedHealthcare Community Health Plan
- *UPMC for Kids (UPMC)*: UPMC Health Plan

Methodology

Information in the Comprehensive Performance Report is drawn primarily from Healthcare Effectiveness Data and Information Set (HEDIS^{®1}) performance measures, which are a standard set of performance measures developed by the National Committee for Quality Assurance (NCQA[™]). Rates for HEDIS 2014 measures listed throughout this report reflect services delivered during the 2013 calendar year (CY), or where applicable, in CY 2012. Similarly, HEDIS 2013 rates reflect services delivered during CY 2012 and CY 2011, with HEDIS 2012 rates reflecting services delivered during CY 2011 and CY 2010 where applicable.

The 2014 PA CHIP HEDIS Comprehensive Performance Report is organized with performance measures grouped by HEDIS domain into three sections: Access to Care, Use of Services and Effectiveness of Care. For each performance measure, a measure description is provided followed by results and analyses, including narrative analysis, tables and graphs where applicable. Comparison tables including Medicaid Managed Care (MMC) National, MMC Regional (Mid-Atlantic region: New Jersey, New York, Pennsylvania) and PA MMC benchmarks are also included when available. Year over year comparisons, and comparisons to benchmarks, are made based on percentage point differences.

¹ HEDIS[®] is a registered trademark of the National Committee for Quality Assurance



ACCESS TO CARE

HEDIS 2014 Measure	Description
Children and Adolescents' Access to Primary Care Practitioners (CAP)	The percentage of children 12 months to 6 years old who had a visit with a primary care practitioner within the last year or for children 7-19 years old, within the last two years.
Annual Dental Visit (ADV)	The percentage of enrolled members 2 to 19 years old who had at least one dental visit during the past year.

Exhibit 1

HEDIS 2014 Measure	PA CHIP Weighted Average	PA MMC Weighted Average
Children and Adolescents' Access to Primary Care Practitioners (CAP)		
CAP: Ages 12 - 24 months	97.56%	96.65%
CAP: Ages 25 months - 6 years	92.94%	88.16%
CAP: Ages 7 - 11 years	95.27%	91.59%
CAP: Ages 12 - 19 years	95.17%	89.88%
Annual Dental Visits (ADV)		
ADV: Ages 2 - 3 years	36.80%	40.18%
ADV: Ages 4 - 6 years	73.36%	65.55%
ADV: Ages 7 - 10 years	78.54%	64.78%
ADV: Ages 11 - 14 years	73.91%	60.36%
ADV: Ages 15 - 18 years	64.38%	52.45%
ADV: Age 19 years	54.75%	NA
ADV: Ages 2 - 19 years Total Rate*	69.84%	56.71%

- Medicaid ADV total rate includes members 2- 21 years of age
 - NA = PA Medicaid rate is not available for this age group



CHILDREN AND ADOLESCENTS' ACCESS TO PRIMARY CARE PRACTITIONERS (CAP)

Measure Description

The Children and Adolescents' Access to Primary Care Practitioners measure assesses the percentage of children 12 to 24 months old and 25 months to six years old who had a visit with a Primary Care Practitioner (PCP), and who were continuously enrolled during the measurement year.

For children seven to 11 years old and adolescents 12 to 19 years old, this measure assesses the percentage of children and adolescents who were continuously enrolled during the current measurement year and the year prior to the measurement year who had a visit with a PCP during the current measurement year or the year prior to the current measurement year.

CAP 12-24 Months: Results

Table 1.0

CAP Ages 12-24 Months	HEDIS 2014
PA CHIP Weighted Average	97.56%
PA Medicaid Weighted Average	96.65%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	50 th percentile

CAP 12-24 Months: Analysis

The PA CHIP HEDIS 2014 weighted average was 97.56%, which was a 0.68 percentage point decrease from the HEDIS 2013 weighted average of 98.24%. Eight PA CHIP contractors reported rates for this measure with four contractors reporting increased rates and four contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Access rates ranged from a low of 94.33% to a high of 100.00%.

Table 1.1: Children and Adolescents' Access to Primary Care Practitioners Ages 12-24 Months


HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
98.37 ↑	98.91 ↑	100.00 ↑	Highmark BC/BS
97.16 ↓	98.58 ↑	99.15 ↑	Highmark BS
97.82 ↑	96.61 ↓	98.42 ↑	Aetna
98.06 ↑	98.71 ↑	98.42 ↓	Capital Blue Cross
99.21 ↑	99.43 ↑	98.29 ↓	UPMC for Kids
96.72 –	98.53 ↑	98.25 ↓	Geisinger
98.12 ↑	98.24 ↑	97.56 ↓	PA CHIP Weighted Average
97.24 ↑	95.98 ↓	96.38 ↑	UnitedHealthcare
99.59 ↑	99.17 ↓	94.33 ↓	Keystone East
97.56 ↓	98.21 ↑	NA	First Priority Health
NA	NA	NA	Kidz Partners

- NA = Denominator <30

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 1: Children and Adolescents' Access to Primary Care Practitioners Ages 12-24 Months



- NA = Denominator <30

CAP 25 Months – 6 Years: Results

Table 1.2

CAP Ages 25 Months – 6 Years	HEDIS 2014
PA CHIP Weighted Average	92.94%
PA Medicaid Weighted Average	88.16%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	50 th percentile

CAP 25 Months – 6 Years: Analysis

The PA CHIP HEDIS 2014 weighted average was 92.94%, which was a 0.33 percentage point decrease from the HEDIS 2013 weighted average of 93.27%. Ten PA CHIP contractors reported rates for this measure with seven contractors reporting increased rates and three contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Access rates ranged from a low of 89.93% to a high of 96.24%.




Table 1.3: Children and Adolescents' Access to Primary Care Practitioners Ages 25 Months – 6 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
95.04 ↑	95.52 ↑	96.24 ↑	Highmark BC/BS
92.60 ↓	94.78 ↑	96.17 ↑	Geisinger
94.10 ↑	95.45 ↑	95.18 ↓	Highmark BS
93.80 ↓	94.23 ↑	94.62 ↑	First Priority Health
92.12 ↓	92.32 ↑	93.50 ↑	Keystone East
94.56 ↓	95.03 ↑	93.42 ↓	UPMC for Kids
92.58 ↑	93.27 ↑	92.94 ↓	PA CHIP Weighted Average
91.20 ↓	92.30 ↑	92.57 ↑	Capital Blue Cross
89.12 –	89.15 ↑	91.24 ↑	Kidz Partners
88.66 ↓	89.65 ↑	89.94 ↑	UnitedHealthcare
93.05 ↑	92.98 ↓	89.93 ↓	Aetna

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑↓ – represents a comparison with the prior year's rate

Figure 2: Children and Adolescents' Access to Primary Care Practitioners Ages 25 Months – 6 Years



CAP 7-11 Years: Results

Table 1.4

CAP Ages 7-11 Years	HEDIS 2014
PA CHIP Weighted Average	95.27%
PA Medicaid Weighted Average	91.59%
Quality Compass Percentile Benchmark Met – National	90 th percentile
Quality Compass Percentile Benchmark Met – Regional	50 th percentile



CAP 7-11 Years: Analysis


The PA CHIP HEDIS 2014 weighted average was 95.27%, which was a 0.41 percentage point decrease from the HEDIS 2013 weighted average of 95.68%. Ten PA CHIP contractors reported rates for this measure with five contractors reporting increased rates and five contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Access rates ranged from a low of 92.75% to a high of 96.85%.

Table 1.5: Children and Adolescents' Access to Primary Care Practitioners Ages 7 – 11 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
90.63 –	92.70 ↑	96.85 ↑	Kidz Partners
95.72 ↓	96.26 ↑	96.83 ↑	Highmark BC/BS
96.44 ↑	96.42 ↓	96.82 ↑	Highmark BS
95.12 ↑	96.60 ↑	96.10 ↓	First Priority Health
91.67 –	94.72 ↑	95.85 ↑	Geisinger
94.53 ↓	95.58 ↑	95.47 ↓	Keystone East
95.10 ↑	95.68 ↑	95.27 ↓	PA CHIP Weighted Average
97.06 ↑	96.07 ↓	95.08 ↓	UPMC for Kids
94.82 ↓	95.82 ↑	94.32 ↓	Capital Blue Cross
93.92 ↑	93.93 ↑	93.98 ↑	UnitedHealthcare
94.61 ↑	95.51 ↑	92.75 ↓	Aetna

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ represents a comparison with the prior year's rate

Figure 3: Children and Adolescents' Access to Primary Care Practitioners Ages 7 – 11 Years





CAP 12-19 Years: Results

Table 1.6

CAP Ages 12-19 Years	HEDIS 2014
PA CHIP Weighted Average	95.17%
PA Medicaid Weighted Average	89.88%
Quality Compass Percentile Benchmark Met – National	90 th Percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

CAP 12-19 Years: Analysis


The PA CHIP HEDIS 2014 weighted average was 95.17%, which was a 0.44 percentage point decrease from the HEDIS 2013 weighted average of 95.61%. Ten PA CHIP contractors reported rates for this measure. Five contractors reported increased rates, with the rates for five Contractors decreasing from HEDIS 2013 to HEDIS 2014. Access rates ranged from a low of 91.69% to a high of 97.15%.

Table 1.7: Children and Adolescents' Access to Primary Care Practitioners Ages 12-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
95.83 ↑	96.91 ↑	97.15 ↑	Highmark BC/BS
95.20 ↓	96.83 ↑	96.91 ↑	Highmark BS
95.00 –	88.70 ↓	96.49 ↑	Kidz Partners
96.76 –	96.89 ↑	96.42 ↓	Geisinger
93.59 ↓	96.35 ↑	95.45 ↓	First Priority Health
94.69 ↑	95.61 ↑	95.17 ↓	PA CHIP Weighted Average
96.01 ↓	96.18 ↑	95.15 ↓	UPMC for Kids
94.16 ↑	94.69 ↑	95.00 ↑	Keystone East
95.14 ↓	96.15 ↑	94.86 ↓	Capital Blue Cross
92.94 ↓	92.89 ↓	92.99 ↑	UnitedHealthcare
93.97 ↑	94.96 ↑	91.69 ↓	Aetna

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - **↑↓** – represents a comparison with the prior year's rate

Figure 4: Children and Adolescents' Access to Primary Care Practitioners Ages 12-19 Years





ANNUAL DENTAL VISITS (ADV)

Measure Description

This measure assessed the percentage of children and adolescents two to 19 years old who were continuously enrolled during the measurement year, and who had a dental visit during the measurement year.

ADV: Results

Table 1.8

ADV Ages 2-19 Years	HEDIS 2014
PA CHIP Weighted Average	69.84%
PA Medicaid Weighted Average*	56.71%
Quality Compass Percentile Benchmark Met – National*	90 th percentile
Quality Compass Percentile Benchmark Met – Regional*	95 th percentile

- Medicaid rate and benchmarks include members 2-21 years old

ADV: Analysis

The PA CHIP HEDIS 2014 Annual Dental Visits for Children two to 19 years old weighted average was 69.84% which was 1.91 percentage points above the HEDIS 2013 weighted average of 67.93%. Ten PA CHIP contractors reported rates for this measure with nine contractors reporting increased rates and one contractor reporting a decreased rate from HEDIS 2013 to HEDIS 2014. Dental visit rates ranged from a low of 55.75% to a high of 77.43%.


Table 1.9: Annual Dental Visits Ages 2-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
75.84 ↓	76.76 ↑	77.43 ↑	Highmark BC/BS
73.61 ↑	75.55 ↑	76.43 ↑	Highmark BS
74.24 ↑	75.42 ↑	76.15 ↑	Capital Blue Cross
72.70 ↑	74.55 ↑	75.90 ↑	Keystone East
69.05 ↓	75.20 ↑	74.94 ↓	First Priority Health
66.54 ↑	67.93 ↑	69.84 ↑	PA CHIP Weighted Average
62.12 –	63.68 ↑	68.46 ↑	Kidz Partners
50.12 ↓	56.48 ↑	64.23 ↑	Aetna
59.54 ↑	56.14 ↓	60.48 ↑	UnitedHealthcare
52.36 ↑	54.35 ↑	58.49 ↑	UPMC for Kids
46.59 ↓	52.36 ↑	55.75 ↑	Geisinger

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 5: Annual Dental Visits Ages 2-19 Years





USE OF SERVICES

HEDIS 2014 Measure	Description
Well-Child Visits in the first 15 months of Life (W15)	The percentage of children who turned 15 months old who had up to six or more well-child visits with a primary care practitioner during the first 15 months of life.
Well-Child Visits in the 3rd, 4th, 5th and 6th years of life (W34)	The percentage of children three, four, five or six years old who had one or more well-child visits with a primary care practitioner during the past year.
Adolescent Well-Care Visits (AWC)	The percentage of members 12 to 19 years old who had at least one comprehensive well-care visit with a primary care practitioner or an OB/GYN practitioner during the past year.
Ambulatory Care (AMB)	Summary of the utilization of ambulatory services including outpatient visits, emergency department visits, ambulatory surgery/procedures and observation room stays resulting in discharge.
Inpatient Utilization - General Hospital/Acute Care (IPU)	Summary of the utilization of acute inpatient services including medicine, surgery, maternity and total services.
Identification of Alcohol and Other Drug Services (IAD)	Number and percentage of members with an alcohol and other drug claim who received any chemical dependency service including inpatient, intermediate and ambulatory chemical dependency services.
Mental Health Utilization (MPT)	Number and percentage of members receiving any mental health service including inpatient, intermediate and ambulatory mental health services.

Exhibit 2

HEDIS 2014 Measure	PA CHIP Weighted Average	PA MMC Weighted Average
Well-Child Visits in the First 15 Months of Life (W15)		
W15: 0 Visits	1.19%	0.93%
W15: 1 Visit	0.30%	1.04%
W15: 2 Visits	0.89%	2.51%
W15: 3 Visits	1.33%	4.56%
W15: 4 Visits	3.56%	9.29%
W15: 5 Visits	16.61%	16.71%
W15: ≥ 6 Visits	76.13%	64.96%
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)		
W34: Rate 3 - 6 years	81.21%	76.58%
Adolescent Well-Care Visits (AWC)		
AWC: Rate 12 - 19 years	61.95%	58.91%

HEDIS 2014 Measure	PA CHIP Average	PA MMC Average
Ambulatory Care: Total (AMBA)		
AMBA: Outpatient Visits/1000 MM Ages <1 year	639.43	653.41
AMBA: Outpatient Visits/1000 MM Ages 1 - 9 years	252.02	240.32
AMBA: Outpatient Visits/1000 MM Ages 10 - 19 years	228.41	198.49
AMBA: Outpatient Visits/1000 MM Ages <1 - 19 years Total Rate	241.25	249.78
AMBA: ED Visits/1000 MM Ages <1 year	35.39	103.76
AMBA: ED Visits/1000 MM Ages 1 - 9 years	29.28	56.17
AMBA: ED Visits/1000 MM Ages 10 - 19 years	27.63	48.48



HEDIS 2014 Measure	PA CHIP Average	PA MMC Average
AMBA: ED Visits/1000 MM Ages <1 - 19 years Total Rate	28.37	56.03
Inpatient Utilization - General Hospital/Acute Care: Total (IPUA)		
IPUA: Total Discharges/1000 MM Ages <1 year	3.23	11.31
IPUA: Total Discharges/1000 MM Ages 1 - 9 years	1.01	2.56
IPUA: Total Discharges/1000 MM Ages 10 - 19 years	1.08	3.26
IPUA: Total Discharges/1000 MM Ages <1 - 19 years Total Rate	1.07	3.46
IPUA: Total Inpatient ALOS Ages <1 year	2.57	6.50
IPUA: Total Inpatient ALOS Ages 1 - 9 Years	2.55	3.58
IPUA: Total Inpatient ALOS Ages 10 - 19 years	2.89	3.56
IPUA: Total Inpatient ALOS Ages <1 - 19 years Total Rate	2.74	4.23
IPUA: Medicine Discharges/1000 MM Ages <1 year	2.88	8.78
IPUA: Medicine Discharges/1000 MM Ages 1 - 9 years	0.83	1.97
IPUA: Medicine Discharges/1000 MM Ages 10 - 19 years	0.62	1.26
IPUA: Medicine Discharges/1000 MM Ages <1 - 19 years Total Rate	0.73	2.14
IPUA: Medicine ALOS Ages <1 year	2.28	4.16
IPUA: Medicine ALOS Ages 1 - 9 years	2.30	2.74
IPUA: Medicine ALOS Ages 10 - 19 years	2.40	3.23
IPUA: Medicine ALOS Ages <1 - 19 years Total Rate	2.38	3.27
IPUA: Surgery Discharges/1000 MM Ages <1 year	0.31	2.31
IPUA: Surgery Discharges/1000 MM Ages 1 - 9 years	0.18	0.59
IPUA: Surgery Discharges/1000 MM Ages 10 - 19 years	0.34	0.68
IPUA: Surgery Discharges/1000 MM Ages <1 - 19 years Total Rate	0.28	0.75
IPUA: Surgery ALOS Ages <1 year	4.40	14.69
IPUA: Surgery ALOS Ages 1 - 9 years	3.45	6.32
IPUA: Surgery ALOS Ages 10 - 19 years	3.82	5.90
IPUA: Surgery ALOS Ages <1 - 19 years Total Rate	3.73	7.97
IPUA: Maternity Discharges/1000 MM Ages 10 - 19 years	0.12	1.31
IPUA: Maternity ALOS 10 - 19 years	2.58	2.73
Mental Health Utilization (MPT)		
MPT: Any Services Ages 0 - 12 years Male	7.38%	NA
MPT: Any Services Ages 0 - 12 years Female	5.27%	NA
MPT: Any Services Ages 0 - 12 years Total Rate	6.33%	NA
MPT: Any Services Ages 13 - 17 years Male	9.29%	NA
MPT: Any Services Ages 13 - 17 years Female	12.75%	NA
MPT: Any Services Ages 13 - 17 years Total Rate	11.02%	NA
MPT: Inpatient Ages 0 - 12 years Male	0.11%	NA
MPT: Inpatient Ages 0 - 12 years Female	0.08%	NA
MPT: Inpatient Ages 0 - 12 years Total Rate	0.10%	NA
MPT: Inpatient Ages 13 - 17 years Male	0.60%	NA
MPT: Inpatient Ages 13 - 17 years Female	1.34%	NA
MPT: Inpatient Ages 13 - 17 years Total Rate	0.97%	NA
MPT: Intensive Outpatient/Partial Hospitalization Ages 0 - 12 years Male	0.16%	NA
MPT: Intensive Outpatient/Partial Hospitalization Ages 0 - 12 years Female	0.07%	NA
MPT: Intensive Outpatient/Partial Hospitalization Ages 0 - 12 years Total Rate	0.12%	NA
MPT: Intensive Outpatient/Partial Hospitalization Ages 13 - 17 years Male	0.35%	NA



HEDIS 2014 Measure	PA CHIP Average	PA MMC Average
MPT: Intensive Outpatient/Partial Hospitalization Ages 13 - 17 years Female	0.78%	NA
MPT: Intensive Outpatient/Partial Hospitalization Ages 13 - 17 years Total Rate	0.56%	NA
MPT: Outpatient or ED Ages 0 - 12 years Male	7.32%	NA
MPT: Outpatient or ED Ages 0 - 12 years Female	5.24%	NA
MPT: Outpatient or ED Ages 0 - 12 years Total Rate	6.29%	NA
MPT: Outpatient or ED Ages 13 - 17 years Male	9.05%	NA
MPT: Outpatient or ED Ages 13 - 17 years Female	12.43%	NA
MPT: Outpatient or ED Ages 13 - 17 years Total Rate	10.74%	NA
Identification of Alcohol and Other Drug Services (IAD)		
IAD: Any Services Ages 0 - 12 years Male	0.01%	NA
IAD: Any Services Ages 0 - 12 years Female	0.02%	NA
IAD: Any Services Ages 0 - 12 years Total Rate	0.02%	NA
IAD: Any Services Ages 13 - 17 years Male	1.47%	NA
IAD: Any Services Ages 13 - 17 years Female	0.89%	NA
IAD: Any Services Ages 13 - 17 years Total Rate	1.18%	NA
IAD: Inpatient Ages 0 - 12 years Male	0.00%	NA
IAD: Inpatient Ages 0 - 12 years Female	0.00%	NA
IAD: Inpatient Ages 0 - 12 years Total Rate	0.00%	NA
IAD: Inpatient Ages 13 - 17 years Male	0.37%	NA
IAD: Inpatient Ages 13 - 17 years Female	0.26%	NA
IAD: Inpatient Ages 13 - 17 years Total Rate	0.31%	NA
IAD: Intensive Outpatient/Partial Hospitalization Ages 0 - 12 years Male	0.00%	NA
IAD: Intensive Outpatient/Partial Hospitalization Ages 0 - 12 years Female	0.00%	NA
IAD: Intensive Outpatient/Partial Hospitalization Ages 0 - 12 years Total Rate	0.00%	NA
IAD: Intensive Outpatient/Partial Hospitalization Ages 13 - 17 years Male	0.23%	NA
IAD: Intensive Outpatient/Partial Hospitalization Ages 13 - 17 years Female	0.10%	NA
IAD: Intensive Outpatient/Partial Hospitalization Ages 13 - 17 years Total rate	0.16%	NA
IAD: Outpatient or ED Ages 0 - 12 years Male	0.01%	NA
IAD: Outpatient or ED Ages 0 - 12 years Female	0.02%	NA
IAD: Outpatient or ED Ages 0 - 12 years Total Rate	0.02%	NA
IAD: Outpatient or ED Ages 13 - 17 years Male	1.24%	NA
IAD: Outpatient or ED Ages 13 - 17 years Female	0.72%	NA
IAD: Outpatient or ED Ages 13 - 17 years Total Rate	0.98%	NA

- NA = PA Medicaid rates are not available for these measures



WELL-CHILD VISITS IN THE FIRST 15 MONTHS OF LIFE (W15)

Measure Description

This measure assesses the percentage of enrollees who turned 15 months old during the measurement year, who were continuously enrolled from 31 days of age through 15 months of age who had zero, one, two, three, four, five or six or more well-child visits with a PCP during their first 15 months of life.

W15 - 4 Visits: Results

Table 2.0

W15 - 4 Visits	HEDIS 2014
PA CHIP Weighted Average	3.56%
PA Medicaid Weighted Average	9.29%
Quality Compass Percentile Benchmark Met – National	Below 10 th percentile
Quality Compass Percentile Benchmark Met – Regional	Below 10 th percentile

W15 - 4 Visits: Analysis

The PA CHIP HEDIS 2014 weighted average was 3.56%, which was a 1.20 percentage point decrease from the HEDIS 2013 weighted average of 4.76%. Seven PA CHIP contractors reported rates from this measure with one contractor reporting an increased rate and six contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Visit rates ranged from a low of 0.00% to a high of 8.57%.

Table 2.1: Well Child Visits in the First 15 Months – 4 Visits

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
8.47 ↓	12.70 ↑	8.57 ↓	Aetna
3.03 ↓	6.31 ↑	5.65 ↓	UnitedHealthcare
5.63 ↓	4.76 ↓	3.56 ↓	PA CHIP Weighted Average
10.00 ↑	3.03 ↓	2.99 ↓	Keystone East
2.30 ↑	1.28 ↓	2.59 ↑	Capital Blue Cross
9.38 ↑	1.85 ↓	1.69 ↓	UPMC for Kids
2.72 ↑	2.50 ↓	1.37 ↓	Highmark BC/BS
5.26 ↓	7.14 ↑	0.00 ↓	Highmark BS
6.25 ↓	NR	NA	First Priority Health
NA	NA	NA	Geisinger
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- NR = Rate was not reportable
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ represents a comparison with the prior year's rate

W15 - 5 Visits: Results

Table 2.2

W15 - 5 Visits	HEDIS 2014
PA CHIP Weighted Average	16.61%
PA Medicaid Weighted Average	16.71%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	50 th percentile



W15 - 5 Visits: Analysis

The PA CHIP HEDIS 2014 weighted average was 16.61%, which was a 1.56 percentage point decrease from the HEDIS 2013 weighted average of 18.17%. Seven PA CHIP contractors reported rates for this measure. Five contractors reported increased rates and two contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Visit rates ranged from a low of 9.48% to a high of 26.76%.

Table 2.3: Well Child Visits in the First 15 Months – 5 Visits

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
11.84 ↓	24.29 ↑	26.76 ↑	Highmark BS
18.00 ↑	12.12 ↓	23.88 ↑	Keystone East
51.69 ↑	42.06 ↓	17.14 ↓	Aetna
6.25 ↓	13.89 ↑	16.95 ↑	UPMC for Kids
18.18 ↑	13.51 ↓	16.94 ↑	UnitedHealthcare
23.33 ↑	18.17 ↓	16.61 ↓	PA CHIP Weighted Average
14.97 ↓	9.17 ↓	9.59 ↑	Highmark BC/BS
20.69 ↑	14.10 ↓	9.48 ↓	Capital Blue Cross
50.00 ↑	NR	NA	First Priority Health
NA	NA	NA	Geisinger
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- NR = Rate was not reportable
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

W15 - 6 or More Visits: Results

Table 2.4

W15 – 6 or More Visits	HEDIS 2014
PA CHIP Weighted Average	76.13%
PA Medicaid Weighted Average	64.96%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

W15 - 6 or More Visits: Analysis


The PA CHIP HEDIS 2014 weighted average was 76.13%, which was a 1.74 percentage point increase from the HEDIS 2013 weighted average of 74.39%. Seven PA CHIP Contractors had reportable rates for this measure with four contractors reporting increased rates and three contractors reporting rate decreases from HEDIS 2013 to HEDIS 2014. Well-child visit rates ranged from a low of 61.19% to a high of 87.67%.

Table 2.5: Well Child Visits in the First 15 Months – 6 or more Visits

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
80.27 ↑	86.67 ↑	87.67 ↑	Highmark BC/BS
74.71 ↓	82.05 ↑	85.34 ↑	Capital Blue Cross
84.38 ↑	83.33 ↓	79.66 ↓	UPMC for Kids
67.30 ↑	74.39 ↑	76.13 ↑	PA CHIP Weighted Average
74.75 ↑	74.77 ↑	74.19 ↓	UnitedHealthcare
75.00 ↑	67.14 ↓	73.24 ↑	Highmark BS
32.20 ↑	38.89 ↑	67.62 ↑	Aetna
70.00 ↓	83.84 ↑	61.19 ↓	Keystone East
39.58 ↓	NR	NA	First Priority Health
NA	NA	NA	Geisinger
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- NR = Rate was not reportable
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ represents a comparison with the prior year's rate

Figure 6: Well Child Visits in the First 15 Months – 4, 5 or 6 or more Visits



- NA = Denominator <30
- NR = Rate was not reportable



WELL-CHILD VISITS IN THE 3RD, 4TH, 5TH AND 6TH YEARS OF LIFE (W34)

Measure Description

This measure assesses the percentage of enrollees who were three, four, five or six years old during the measurement year, who were continuously enrolled during the measurement year and received one or more well-child visits with a Primary Care Provider (PCP) during the measurement year.

W34: Results

Table 2.6

W34	HEDIS 2014
PA CHIP Weighted Average	81.21%
PA Medicaid Weighted Average	76.58%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

W34: Analysis

The PA CHIP HEDIS 2014 weighted average was 81.21%, which was a 1.32 percentage point increase from the HEDIS 2013 weighted average of 79.89%. Ten PA CHIP contractors reported rates for this measure with five contractors reporting increased rates and five contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Well-child visit rates ranged from a low of 77.10% to a high of 88.07%.


Table 2.7: Well-Child Visits in the 3rd, 4th, 5th and 6th Years of Life

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
85.14 ↓	82.99 ↓	88.07 ↑	Keystone East
83.45 ↑	80.42 ↓	86.30 ↑	Geisinger
82.43 ↑	80.80 ↓	85.56 ↑	Highmark BS
80.62 ↑	79.89 ↓	81.21 ↑	PA CHIP Weighted Average
76.28 –	81.20 ↑	80.87 ↓	Kidz Partners
81.85 ↑	81.15 ↓	80.38 ↓	Highmark BC/BS
83.21 ↓	82.00 ↓	80.38 ↓	UPMC for Kids
79.35 ↑	79.63 ↑	78.89 ↓	Aetna
77.84 ↑	77.88 ↑	78.27 ↑	First Priority Health
77.41 ↓	78.04 ↑	77.43 ↓	Capital Blue Cross
75.08 ↑	74.32 ↓	77.10 ↑	UnitedHealthcare

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 7: Well-Child Visits in the 3rd, 4th, 5th and 6th Years of Life





ADOLESCENT WELL-CARE VISITS (AWC)

Measure Description

This measure assesses the percentage of enrollees 12 to 19 years old, who were continuously enrolled during the measurement year and who received one or more well-care visits with a Primary Care Provider (PCP) or Obstetrician/Gynecologist (OB/GYN) during the measurement year.

AWC: Results

Table 2.8

AWC	HEDIS 2014
PA CHIP Weighted Average	61.95%
PA Medicaid Weighted Average*	58.91%
Quality Compass Percentile Benchmark Met – National*	75 th percentile
Quality Compass Percentile Benchmark Met – Regional*	50 th percentile

- Medicaid rate and benchmarks include members 12-21 years old

AWC: Analysis

The PA CHIP HEDIS 2014 weighted average was 61.95%, which was a 0.52 percentage point increase from the HEDIS 2013 weighted average of 61.43%. Ten PA CHIP contractors reported rates for this measure. Adolescent well-care visit rate increases were observed for six contractors, with the rates for four contractors decreasing from HEDIS 2013 to HEDIS 2014. Adolescent well visit rates ranged from a low of 56.73% to a high of 68.49%.


Table 2.9: Adolescent Well-Care Visits

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
53.77 –	63.99 ↑	68.49 ↑	Kidz Partners
72.22 ↑	69.38 ↓	67.69 ↓	Keystone East
65.36 ↑	60.90 ↓	64.56 ↑	Highmark BC/BS
65.93 ↑	58.51 ↓	63.09 ↑	Highmark BS
64.52 ↑	61.43 ↓	61.95 ↑	PA CHIP Weighted Average
65.84 ↑	59.04 ↓	60.30 ↑	Geisinger
60.81 ↑	61.31 ↑	59.95 ↓	Aetna
60.09 ↑	60.90 ↑	59.66 ↓	First Priority Health
62.53 ↓	58.64 ↓	59.35 ↑	UPMC for Kids
62.56 ↑	58.25 ↓	59.10 ↑	Capital Blue Cross
59.26 ↑	57.69 ↓	56.73 ↓	UnitedHealthcare

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 8: Adolescent Well-Care Visits





AMBULATORY CARE (AMB)

Measure Description

The Ambulatory Care measure summarizes utilization of Ambulatory Care in Outpatient Visits, Emergency Department Visits, Ambulatory Surgery/Procedures and Observation Room Stays that result in discharge for children less than one year old, one to nine years old and 10 to 19 years old. This measure is an inverted measure with a lower rate representing better performance.

Ambulatory Care – Emergency Department Visits

AMB ED Visits <1-19 Years: Results

Table 2.10

AMB ED Visits/1000 MM Ages <1 – 19 Years	HEDIS 2014
PA CHIP Weighted Average	28.37
PA Medicaid Weighted Average*	56.03
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

* Medicaid benchmarks are not available for the <1-19 age range

** Rate calculated for comparison with CHIP rates

AMB ED Visits <1-19 Years: Analysis

The PA CHIP HEDIS 2014 Ambulatory Care – ED utilization total weighted average for children less than one year old to 19 years old was 28.37 visits/1000 MM. This was 2.1 visits/1000 MM below the HEDIS 2013 rate of 30.47 visits/1000 MM. Ten PA CHIP contractors reported rates for this inverted measure. Nine contractors reported decreased rates and one contractor reported an increased rate from HEDIS 2013 to HEDIS 2014. Emergency Department utilization rates ranged from a low of 24.29 visits/1000 MM to a high of 33.25 visits/1000 MM.

Table 2.11: Ambulatory Care - Emergency Department Visits/1000 MM Ages <1-19 Years


HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
27.10 ↑	26.78 ↓	24.29 ↓	Highmark BS
27.00 ↓	25.98 ↓	25.14 ↓	Capital Blue Cross
27.96 ↑	27.66 ↓	25.75 ↓	Aetna
28.42 ↑	28.35 ↓	26.84 ↓	Keystone East
31.73 ↓	29.52 ↓	27.46 ↓	First Priority Health
26.42 –	28.25 ↑	27.80 ↓	Kidz Partners
30.30 ↑	30.47 ↑	28.37 ↓	PA CHIP Weighted Average
33.34 ↑	33.50 ↑	29.14 ↓	Highmark BC/BS
31.33 ↑	30.92 ↓	29.92 ↓	UnitedHealthcare
31.78 ↑	32.43 ↑	33.12 ↑	Geisinger
38.08 ↑	42.59 ↑	33.25 ↓	UPMC for Kids

- Inverted measure (lower rates indicate better performance)

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 9: Ambulatory Care - Emergency Department Visits/1000 MM Ages <1-19 Years



- Inverted measure (Lower rates indicate better performance)

AMB ED Visits <1 Year: Results

Table 2.12

AMB ED Visits/1000 MM Age <1 Year	HEDIS 2014
PA CHIP Weighted Average	35.39
PA Medicaid Weighted Average*	103.76
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

- Calculated for comparison with CHIP rates

- Medicaid benchmarks are not available for the <1 age range

AMB ED Visits <1 Year: Analysis


At 35.39 visits/1000MM, the PA CHIP HEDIS 2014 Ambulatory Care - ED utilization weighted average for children less than one year old was 7.33 visits/1000 MM below the HEDIS 2013 rate of 42.72 visits/1000 MM. Ten PA CHIP contractors reported rates for this inverted measure. Seven contractors reported decreased rates and three contractors reported increased rates from HEDIS 2013 to HEDIS 2014. Emergency Department utilization rates ranged from a low of 24.80 visits/1000 MM to a high of 58.45 visits/1000 MM.

Table 2.13: Ambulatory Care - Emergency Department Visits/1000 MM Age < 1Year

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
38.60 ↓	57.26 ↑	24.80 ↓	Highmark BC/BS
26.35 ↓	36.68 ↑	26.83 ↓	First Priority Health
28.19 ↓	32.17 ↑	27.36 ↓	Geisinger
25.31 ↑	25.31 –	29.65 ↑	Highmark BS
44.31 ↓	54.05 ↑	31.78 ↓	Keystone East
26.54 ↓	35.64 ↑	32.73 ↓	Capital Blue Cross
32.21 ↓	39.12 ↑	33.15 ↓	Aetna
36.38 ↓	42.72 ↑	35.39 ↓	PA CHIP Weighted Average
39.83 ↓	39.11 ↓	39.31 ↑	UnitedHealthcare
51.98 ↓	49.63 ↓	42.27 ↓	UPMC for Kids
40.18 –	32.89 ↓	58.45 ↑	Kidz Partners

- Inverted measure (Lower rates indicate better performance)
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 10: Ambulatory Care - Emergency Department Visits/1000 MM Age < 1Year



- Inverted measure (Lower rates indicate better performance)

AMB ED Visits 1-9 Years: Results

Table 2.14

AMB ED Visits/1000 MM Ages 1 - 9 Years	HEDIS 2014
PA CHIP Weighted Average	29.28
PA Medicaid Weighted Average*	56.17
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

- Calculated for comparison with PA CHIP rates
- Medicaid benchmarks are not available for the 1-9 age range

AMB ED Visits 1-9: Analysis


The PA CHIP HEDIS 2014 Ambulatory Care – ED utilization weighted average of 29.28 visits/1000 MM for children one to nine years old was 1.68 visits/1000 MM below the HEDIS 2013 rate of 30.96 visits/1000 MM. Ten PA CHIP Contractors reported rates for this inverted measure. Nine contractors reported decreased rates and one contractor reported an increased rate from HEDIS 2013 to HEDIS 2014. Emergency department utilization rates ranged from a low of 23.78 visits/1000 MM to 34.34 visits/1000 MM.

Table 2.15: Ambulatory Care - Emergency Department Visits/1000 MM Ages 1-9 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
27.88 ↑	27.07 ↓	23.78 ↓	Highmark BS
27.48 ↓	26.80 ↓	26.19 ↓	Capital Blue Cross
28.26 ↑	28.25 ↓	27.21 ↓	Aetna
28.65 ↑	28.31 ↓	27.83 ↓	Keystone East
31.50 ↓	29.57 ↓	28.51 ↓	First Priority Health
31.81 ↑	32.48 ↑	28.71 ↓	Highmark BC/BS
31.74 –	31.39 ↓	28.94 ↓	Kidz Partners
30.52 ↑	30.96 ↑	29.28 ↓	PA CHIP Weighted Average
31.93 ↑	32.76 ↑	31.46 ↓	UnitedHealthcare
38.86 ↑	41.60 ↑	33.17 ↓	UPMC for Kids
32.58 ↑	33.85 ↑	34.34 ↑	Geisinger

- Inverted measure (lower rates indicate better performance)
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑↓– represents a comparison with the prior year's rate

Figure 11: Ambulatory Care - Emergency Department Visits/1000 MM Ages 1-9 Years



- Inverted measure (Lower rates indicate better performance)



AMB ED Visits 10-19 Years: Results

Table 2.16

AMB ED Visits/1000 MM Ages 10 – 19 Years	HEDIS 2014
PA CHIP Weighted Average	27.63
PA Medicaid Weighted Average*	48.48
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

- Calculated for comparison with CHIP rates
- Medicaid benchmarks are not available for the 10-19 age range

AMB ED Visits 10-19 Years: Analysis


At 27.63 visits/1000 MM, the PA CHIP HEDIS 2014 Ambulatory Care – ED utilization weighted average for adolescents 10 to 19 years old was 2.36 visits/1000 MM below the HEDIS 2013 rate of 29.99 visits/1000 MM. Ten PA CHIP contractors reported rates for this inverted measure. Eight contractors reported decreased rates and two contractors reported increased rates from HEDIS 2013 to HEDIS 2014. Emergency department utilization rates ranged from a low of 24.30 visits/1000 MM to a high of 33.12 visits/1000 MM.

Table 2.17: Ambulatory Care - Emergency Department Visits/1000 MM Age 10-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
26.68 –	25.28 ↓	24.30 ↓	Capital Blue Cross
27.66 ↑	27.02 ↓	24.49 ↓	Aetna
26.48 ↑	26.57 ↑	24.60 ↓	Highmark BS
28.10 ↑	28.09 ↓	26.16 ↓	Keystone East
21.61 –	25.63 ↑	26.22 ↑	Kidz Partners
31.90 ↓	29.45 ↓	26.92 ↓	First Priority Health
30.08 ↑	29.99 ↓	27.63 ↓	PA CHIP Weighted Average
30.79 ↑	29.38 ↓	28.50 ↓	UnitedHealthcare
34.09 ↑	33.83 ↓	29.41 ↓	Highmark BC/BS
31.03 ↑	31.03 –	32.06 ↑	Geisinger
37.16 ↓	43.30 ↑	33.12 ↓	UPMC for Kids

- Inverted measure (lower rates indicate better performance)
- Bold numbering identifies rates that are above the PA CHIP Average
- ↑↓– represents a comparison with the prior year's rate

Figure 12: Ambulatory Care - Emergency Department Visits/1000 MM Age 10-19 Years



- Inverted measure (Lower rates indicate better performance)

Ambulatory Care - Outpatient Visits

AMB OP Visits <1-19 Years: Results

Table 2.18

AMB OP Visits/1000 MM Ages <1 - 19 Years	HEDIS 2014
PA CHIP Weighted Average	241.25
PA Medicaid Weighted Average*	249.78
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

- Calculated for comparison with CHIP rates

- Medicaid benchmarks are not available for the <1-19 age range

AMB OP Visits <1-19 Years: Analysis


At 241.25 visits/1000 MM, the PA CHIP HEDIS 2014 Outpatient Visits utilization weighted average for children less than one to 19 years old was 18.6 visits/1000 MM below the HEDIS 2013 rate of 259.85 visits/1000 MM. Ten PA CHIP contractors reported rates for this measure with seven contractors reporting decreased rates and three contractors reporting increased rates from HEDIS 2013 to HEDIS 2014. Outpatient Visit rates ranged from a low of 131.56 visits/1000 MM to a high of 308.71 visits/1000 MM.

Table 2.19: Ambulatory Care – Outpatient Visits/1000 MM Ages <1-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
234.39 ↑	227.35 ↓	131.56 ↓	Aetna
138.39 –	155.36 ↑	161.36 ↑	Kidz Partners
203.55 ↑	201.16 ↓	192.83 ↓	UnitedHealthcare
245.89 ↑	237.80 ↓	240.58 ↑	Keystone East
262.78 ↑	259.85 ↓	241.25 ↓	PA CHIP Weighted Average
277.10 ↑	278.61 ↑	258.91 ↓	UPMC for Kids
260.59 ↑	267.74 ↑	267.25 ↓	Geisinger
274.41 ↑	277.95 ↑	271.33 ↓	First Priority Health
298.02 ↑	288.57 ↓	290.11 ↑	Capital Blue Cross
306.29 ↑	313.44 ↑	295.80 ↓	Highmark BC/BS
303.37 ↑	315.11 ↑	308.71 ↓	Highmark BS

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 13: Ambulatory Care – Outpatient Visits/1000 MM Ages <1-19 Years





INPATIENT UTILIZATION - GENERAL HOSPITAL/ACUTE CARE (IPU)

Measure Description

The Inpatient Utilization measure summarizes utilization of Acute Inpatient Services in Medicine, Maternity, Surgery and Total Services for children less than one, one to nine, 10 to 19 years old and less than one to 19 years old. This measure is an inverted measure with a lower rate representing better performance.

Total Inpatient Utilization - Discharges

IPU Total Discharges <1-19 Years: Results

Table 2.20

IPU Total Discharges/1000 MM Ages <1 – 19 Years	HEDIS 2014
PA CHIP Average	1.07
PA Medicaid Average*	3.46
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

- Calculated for comparison with CHIP rates
- Medicaid benchmarks are not available for the <1-19 age range

IPU Total Discharges <1-19 Years: Analysis


The PA CHIP HEDIS 2014 Total Inpatient Utilization rate of 1.07 discharges/1000 MM for members less than one to 19 years old was 0.09 discharges/1000 MM below the HEDIS 2013 rate of 1.16 discharges/1000 MM. Ten PA CHIP contractors reported rates for this measure. Eight contractors reported decreased rates while one contractor reported a similar rate and one contractor reported an increased rate from HEDIS 2013 to HEDIS 2014. Total Inpatient Discharge rates ranged from a low of 0.81 discharges/1000 MM to a high of 1.46 discharges/1000 MM.

Table 2.21: Inpatient Utilization General Hospital/Acute Care – Total Discharges/1000 MM Ages <1-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
0.87 ↓	0.97 ↓	0.81 ↓	Geisinger
1.16 ↑	1.03 ↓	0.91 ↓	Highmark BS
1.00 ↓	0.89 ↓	0.92 ↑	Capital Blue Cross
1.06 ↓	1.00 ↓	0.97 ↓	First Priority Health
1.14 ↓	1.09 ↓	0.97 ↓	UPMC for Kids
1.25 ↑	1.00 ↓	0.99 ↓	UnitedHealthcare
1.12 ↓	1.25 ↑	1.03 ↓	Highmark BC/BS
1.14 ↑	1.16 ↑	1.07 ↓	PA CHIP Average
1.40 ↓	1.24 ↓	1.24 –	Aetna
1.30 –	1.48 ↑	1.38 ↓	Kidz Partners
NA	1.66 –	1.46 ↓	Keystone East

- Inverted measure (lower rates indicate better performance)
- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 14: Inpatient Utilization General Hospital/Acute Care – Total Discharges/1000 MM Ages <1-19 Years



- Inverted measure (lower rates indicate better performance)
 - NA = Denominator <30

Total Inpatient Utilization – Average Length of Stay

IPU Total ALOS <1-19 Years: Results

Table 2.22

IPU Total ALOS Ages <1 – 19 Years	HEDIS 2014
PA CHIP Average	2.74
PA Medicaid Average*	4.23
Quality Compass Percentile Benchmark Met – National**	NA
Quality Compass Percentile Benchmark Met – Regional**	NA

- Medicaid benchmarks are not available for the <1-19 age range
 - Calculated for comparison with CHIP rates

IPU Total ALOS <1-19 Years: Analysis

The PA CHIP HEDIS 2014 Total Inpatient Discharges average length of stay (ALOS) for children less than one to 19 years old at 2.74 days was 0.21 days below the HEDIS 2013 rate of 2.95 days. Ten PA CHIP contractors reported rates for this measure. Six contractors reported decreased average length of stay and four contractors reported increased average length of stay from HEDIS 2013 to HEDIS 2014. Total Inpatient average length of stay ranged from a low of 1.71 days to a high of 3.26 days.




Table 2.23: Inpatient Utilization General Hospital/Acute Care – Total ALOS Ages <1-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
2.83 ↓	2.95 ↑	1.71 ↓	Aetna
3.40 –	1.67 ↓	2.28 ↑	Kidz Partners
NA	2.46 –	2.32 ↓	Keystone East
2.98 ↓	2.95 ↓	2.74 ↓	PA CHIP Average
3.14 ↑	3.23 ↑	2.76 ↓	Geisinger
2.83 ↓	3.46 ↑	2.90 ↓	First Priority Health
2.55 ↓	3.32 ↑	2.91 ↓	UPMC for Kids
2.93 ↓	2.81 ↓	2.98 ↑	Highmark BC/BS
3.00 ↓	3.28 ↑	3.06 ↓	UnitedHealthcare
2.97 ↑	3.21 ↑	3.25 ↑	Capital Blue Cross
3.12 ↓	3.11 ↓	3.26 ↑	Highmark BS

- Inverted measure (lower rates indicate better performance)
- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 15: Inpatient Utilization General Hospital/Acute Care – Total ALOS Ages <1-19 Years



- Inverted measure (lower rates indicate better performance)
- NA = Denominator <30



IDENTIFICATION OF ALCOHOL AND OTHER DRUG SERVICES (IAD)

Measure Description

Identification of Alcohol and Other Drug Services reports the number and percentage of members zero to 12 years old and 13 to 17 years old with an alcohol and other drug (AOD) claim, who received any service (including inpatient, intensive outpatient or partial hospitalization and outpatient or emergency department services), inpatient, intermediate or ambulatory chemical dependency services during the measurement year.

IAD Any Service 13-17 Years: Analysis

The PA CHIP HEDIS 2014 Identification of Alcohol and Other Drug Services – Any Service rate for adolescents 13 to 17 years old at 1.18% was 0.08 percentage points below the HEDIS 2013 rate of 1.26%. Ten PA CHIP contractors reported rates for this measure. Two contractors reported increased rates, two contractors reported similar rates and six contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Rates ranged from a low of 0.77% to a high of 1.66%.


Table 2.24: Identification of Alcohol and other Drug Services – Any Services Ages 13-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
0.65 –	0.42 ↓	0.77 ↑	Kidz Partners
1.04 ↑	1.05 ↑	0.93 ↓	UnitedHealthcare
1.40 ↑	1.16 ↓	0.99 ↓	Keystone East
1.65 ↑	1.30 ↓	1.05 ↓	Aetna
2.14 ↑	1.26 ↓	1.11 ↓	Geisinger
1.48 ↑	1.26 ↓	1.18 ↓	PA CHIP Average
1.73 ↑	1.21 ↓	1.21 –	Capital Blue Cross
1.15 ↓	1.27 ↑	1.27 –	Highmark BC/BS
1.57 ↓	1.17 ↓	1.38 ↑	Highmark BS
1.88 ↑	1.90 ↑	1.40 ↓	First Priority Health
1.62 ↑	1.82 ↑	1.66 ↓	UPMC for Kids

- Bold numbering identifies rates that are above the PA CHIP Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 16: Identification of Alcohol and other Drug Services – Any Services Ages 13-17 Years





MENTAL HEALTH UTILIZATION (MPT)

Measure Description

The Mental Health Utilization – Percentage of Members Receiving Inpatient and Intermediate Care and Ambulatory Services measure reports the number and percentage of members who received any mental health service including inpatient, intensive outpatient or partial hospitalization and outpatient or emergency department services during the measurement year.

MPT Any Service 0-12 Years - Total Rate: Analysis

At 6.33%, the PA CHIP HEDIS 2014 Mental Health Utilization – Any service rate for children zero to 12 years old was 0.33 percentage points above the HEDIS 2013 rate of 6.00%. Ten PA CHIP contractors reported rates for this measure with seven contractors reporting increased rates and three contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Mental health utilization rates ranged from a low of 1.72% to a high of 9.61%.


Table 2.25: Mental Health Utilization – Any Service Ages 0-12 Years - Total Rate

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
8.38 ↑	8.80 ↑	9.61 ↑	Highmark BS
8.48 ↑	9.16 ↑	9.51 ↓	Highmark BC/BS
8.80 ↑	6.08 ↓	8.23 ↑	UPMC for Kids
6.48 ↑	6.73 ↑	6.86 ↑	First Priority Health
6.05 ↓	6.00 ↓	6.33 ↑	PA CHIP Average
5.31 ↑	6.17 ↑	6.25 ↑	Geisinger
6.10 ↓	6.05 ↓	6.07 ↑	Capital Blue Cross
6.58 ↑	6.43 ↓	5.62 ↓	Aetna
5.32 ↓	5.23 ↓	5.42 ↑	Keystone East
4.25 ↑	4.24 ↓	4.03 ↓	UnitedHealthcare
0.78 –	1.12 ↑	1.72 ↑	Kidz Partners

- Bold numbering identifies rates that are above the PA CHIP Average

- ↑↓ – represents a comparison with the prior year's rate

Figure 17: Mental Health Utilization – Any Service Ages 0-12 Years - Total Rate



MPT Any Service 13-17 Years: Analysis


For adolescents 13 to 17 years old, the PA CHIP HEDIS 2014 Mental Health Utilization – Any Services rate of 11.02% was 0.9 percentage points above the HEDIS 2013 rate of 10.12%. Ten PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and three contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Utilization rates ranged from a low of 4.30% to a high of 15.55%.

Table 2.26: Mental Health Utilization – Any Service Ages 13-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
13.54 ↑	13.72 ↑	15.55 ↑	Highmark BS
11.98 ↓	13.46 ↑	15.55 ↑	Highmark BC/BS
13.44 ↑	11.23 ↓	14.05 ↑	UPMC for Kids
11.61 ↑	12.05 ↑	11.60 ↓	Aetna
11.50 ↑	11.96 ↑	11.58 ↓	First Priority Health
10.00 ↓	10.12 ↑	11.02 ↑	PA CHIP Average
9.91 ↑	10.05 ↑	10.47 ↑	Capital Blue Cross
10.28 ↑	10.78 ↑	10.09 ↓	Geisinger
8.73 ↑	8.95 ↑	9.21 ↑	Keystone East
6.64 ↑	6.73 ↑	7.85 ↑	UnitedHealthcare
2.35 –	2.27 ↓	4.30 ↑	Kidz Partners

- Bold numbering identifies rates that are above the PA CHIP Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 18: Mental Health Utilization – Any Service Ages 13-17 Years





EFFECTIVENESS OF CARE

HEDIS 2014 Measure	Description
Weight Assessment and Counseling for Nutrition and Physical Activity (WCC)	The percentage of members 3 - 17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of BMI percentile documentation, counseling for nutrition and counseling for physical activity during the measurement year.
Childhood Immunization Status (CIS)	This group of measures assess the percentage of children two years old who had four diphtheria, tetanus and acellular pertussis (DTaP), three polio (IPV), one measles, mumps and rubella (MMR), two H influenza type B (HiB), three hepatitis B (HepB), one chicken pox (VZV), four pneumococcal conjugate vaccines (PCV), one hepatitis A (HepA), two or three rotavirus (RV) and two influenza (flu) vaccines by their second birthday. One rate is calculated for each vaccine in addition to nine separate combination rates (Combinations 2 through 10).
Lead Screening in Children (LSC)	The percentage of children two years old who had one or more capillary or venous lead blood tests for lead poisoning by their second birthday.
Appropriate Testing for Children With Pharyngitis (CWP)	The percentage of children two to 18 years old who were diagnosed with pharyngitis, were prescribed an antibiotic, and who were given a group A streptococcus test.
Appropriate Treatment for Children With Upper Respiratory Infection (URI)	The percentage of children three months to 18 years old who were diagnosed with an upper respiratory infection (common cold) and were not prescribed an antibiotic.
Use of Appropriate Medications for Children with Asthma (ASM)	The percentage of children five to 19 years old who were identified as having persistent asthma who were appropriately prescribed medication to control their condition.
Follow-Up Care for Children Prescribed ADHD Medication (ADD)	The percentage of children newly prescribed ADHD medication who have at least three follow-up care visits, one of which is within 30 days of when the first ADHD medication was dispensed. Two rates are reported: Initiation phase and continuation and maintenance (C&M) phase.

Exhibit 3

HEDIS 2014 Measure	PA CHIP Weighted Average	PA MMC Weighted Average
Weight Assessment and Counseling for Nutrition and Physical Activity (WCC)		
WCC: BMI Ages 3 - 11 years	60.72%	62.90%
WCC: BMI Ages 12 - 17 years	60.97%	66.15%
WCC: BMI Ages 3 - 17 years Total Rate	60.84%	63.99%
WCC: Counseling for Nutrition Ages 3 - 11 years	68.35%	69.46%
WCC: Counseling for Nutrition Ages 12 - 17 years	61.03%	65.47%
WCC: Counseling for Nutrition Ages 3 - 17 years Total Rate	64.82%	68.17%
WCC: Counseling for Physical Activity Ages 3 - 11 years	58.53%	57.73%
WCC: Counseling for Physical Activity Ages 12 - 17 years	59.54%	64.77%
WCC: Counseling for Physical Activity Ages 3 - 17 years Total Rate	58.98%	60.03%



HEDIS 2014 Measure	PA CHIP Weighted Average	PA MMC Weighted Average
Childhood Immunization Status (CIS)		
CIS: DTaP	87.63%	81.93%
CIS: IPV	92.34%	93.13%
CIS: MMR	92.20%	92.40%
CIS: HiB	93.00%	93.37%
CIS: Hepatitis B	90.48%	92.61%
CIS: VZV	92.44%	92.56%
CIS: Pneumococcal Conjugate	88.14%	83.19%
CIS: Hepatitis A	84.50%	85.60%
CIS: Rotavirus	79.00%	74.04%
CIS: Influenza	65.17%	62.21%
CIS: Combination 2	81.00%	77.53%
CIS: Combination 3	78.71%	74.39%
CIS: Combination 4	73.02%	70.43%
CIS: Combination 5	69.66%	62.45%
CIS: Combination 6	57.89%	54.26%
CIS: Combination 7	66.34%	59.84%
CIS: Combination 8	55.37%	52.43%
CIS: Combination 9	52.76%	46.98%
CIS: Combination 10	50.98%	45.64%
Immunizations for Adolescents (IMA)		
IMA: Meningococcal Vaccine	86.50%	85.06%
IMA: Tdap/Td	88.51%	86.98%
IMA: Combination 1	84.19%	83.16%
Lead Screening in Children (LSC)		
LSC: Rate	49.90%	74.86%
Appropriate Testing for Children with Pharyngitis (CWP)		
CWP: Rate	77.25%	68.99%
Chlamydia Screening in Women (CHL)		
CHL: Ages 16 - 20 years	35.93%	58.77%
CHL: Total Rate	35.95%	58.77%
Appropriate Treatment for Children with Upper Respiratory Infection (URI)		
URI: Rate	82.70%	87.23%
Use of Appropriate Medications for People with Asthma (ASM)		
ASM: Ages 5 - 11 years	94.61%	91.39%
ASM: Ages 12 - 18 years	89.31%	87.90%
ASM: Ages 5 - 19 years Total Rate*	91.79%	89.99%
Follow-up Care for Children Prescribed ADHD Medication (ADD)		
ADD: Initiation Phase	44.97%	20.01%
ADD: Continuation and Maintenance Phase	51.23%	22.35%

- Medicaid rate includes members 5-18 years of age.



WEIGHT ASSESSMENT AND COUNSELING FOR NUTRITION AND PHYSICAL ACTIVITY (WCC)

Measure Description

This set of measures assesses the percentage of members 3-17 years old who had an outpatient visit with a PCP or OB/GYN and who had evidence of Body Mass Index (BMI) percentile documentation, counseling for nutrition and counseling for physical activity during the measurement year.

Weight Assessment and Counseling – Body Mass Index

WCC BMI 3-17 Years: Results

Table 3.0

WCC - BMI	HEDIS 2014
PA CHIP Weighted Average	60.84%
PA Medicaid Weighted Average	63.99%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	25 th percentile

WCC BMI 3-17 Years: Analysis

The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Body Mass Index percentile documentation weighted average for children and adolescents 3-17 years old was 60.84%. This rate was 8.92 percentage points above the 2013 weighted average of 51.92%. Ten PA CHIP contractors reported rates for this measure. All 10 contractors reported increased rates from HEDIS 2013 to HEDIS 2014 with BMI percentile documentation rates ranging from a low of 46.24% to a high of 78.91%.


Table 3.1: Weight Assessment and Counseling – Body Mass Index 3-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
74.57 ↑	73.67 ↓	78.91 ↑	Geisinger
62.77 ↑	66.83 ↑	72.26 ↑	Capital Blue Cross
66.67 ↑	57.11 ↓	70.76 ↑	Highmark BC/BS
70.32 ↑	64.96 ↓	68.10 ↑	UPMC for Kids
37.71 –	51.09 ↑	62.04 ↑	Kidz Partners
52.59 ↑	51.92 ↓	60.84 ↑	PA CHIP Weighted Average
44.04 ↑	31.63 ↓	55.47 ↑	Highmark BS
44.34 ↓	50.94 ↑	54.40 ↑	Aetna
38.93 ↑	48.18 ↑	53.77 ↑	UnitedHealthcare
41.20 ↑	43.58 ↑	51.66 ↑	Keystone East
48.72 ↑	41.20 ↓	46.24 ↑	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 19: Weight Assessment and Counseling – Body Mass Index 3-17 Years



WCC BMI 3-11 Years: Results

Table 3.2

WCC - BMI	HEDIS 2014
PA CHIP Weighted Average	60.72%
PA Medicaid Weighted Average	62.90%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	25 th percentile

WCC BMI Ages 3-11 Years: Analysis


The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Body Mass Index percentile documentation weighted average for children 3-11 years old was 60.72%. The 2014 weighted average was 7.31 percentage points above the HEDIS 2013 weighted average of 53.41%. Ten PA CHIP contractors reported rates for this measure. All 10 contractors reported increased rates and from HEDIS 2013 to HEDIS 2014 with BMI percentile documentation rates ranging from a low of 44.64% to a high of 78.57%.

Table 3.3: Weight Assessment and Counseling – BMI 3-11 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
74.56 ↑	75.55 ↑	78.57 ↑	Geisinger
64.77 ↓	59.34 ↓	75.76 ↑	Highmark BC/BS
62.56 ↑	67.98 ↑	72.17 ↑	Capital Blue Cross
68.57 ↑	65.97 ↓	68.28 ↑	UPMC for Kids
52.87 ↑	53.41 ↑	60.72 ↑	PA CHIP Weighted Average
32.93 –	51.80 ↑	59.64 ↑	Kidz Partners
47.72 ↓	53.64 ↑	59.04 ↑	Aetna
42.91 ↓	29.91 ↓	55.56 ↑	Highmark BS
44.44 ↑	49.05 ↑	50.00 ↑	Keystone East
38.64 ↑	46.89 ↑	49.36 ↑	UnitedHealthcare
53.77 ↑	38.74 ↓	44.64 ↑	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 20: Weight Assessment and Counseling – BMI 3-11 Years



WCC BMI 12-17 Years: Results

Table 3.4

WCC - BMI	HEDIS 2014
PA CHIP Weighted Average	60.97%
PA Medicaid Weighted Average	66.15%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	25 th percentile

WCC BMI 12-17 Years: Analysis


The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Body Mass Index documentation weighted average for adolescents 12-17 years old was 60.97%. This weighted average was 10.46 percentage points above the HEDIS 2013 weighted average of 50.51%. Ten PA CHIP contractors reported rates for this measure. All 10 contractors reported increased rates from HEDIS 2013 to HEDIS 2014 with BMI percentile documentation rates ranging from a low of 47.81% to a high of 79.39%.

Table 3.5: Weight Assessment and Counseling – BMI 12-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
74.59 ↑	70.75 ↓	79.39 ↑	Geisinger
63.00 ↑	65.70 ↑	72.38 ↑	Capital Blue Cross
72.89 ↑	63.58 ↓	67.86 ↑	UPMC for Kids
68.12 ↑	55.05 ↓	67.36 ↑	Highmark BC/BS
45.06 –	50.26 ↑	64.89 ↑	Kidz Partners
52.33 ↑	50.51 ↓	60.97 ↑	PA CHIP Weighted Average
39.27 ↑	50.00 ↑	59.55 ↑	UnitedHealthcare
45.86 ↑	33.69 ↓	55.38 ↑	Highmark BS
37.98 ↑	38.84 ↑	53.30 ↑	Keystone East
39.89 ↓	48.04 ↑	48.09 ↑	Aetna
44.40 ↑	43.81 ↓	47.81 ↑	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 21: Weight Assessment and Counseling – BMI 12-17 Years





Weight Assessment and Counseling – Nutrition

WCC Nutrition 3-17 Years: Results

Table 3.6

WCC - Nutrition	HEDIS 2014
PA CHIP Weighted Average	64.82%
PA Medicaid Weighted Average	68.17%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	10 th percentile

WCC Nutrition 3-17 Years: Analysis

The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Counseling for Nutrition weighted average for children and adolescents 3-17 years old was 64.82%. The HEDIS 2014 weighted average was 3.41 percentage points above the HEDIS 2013 weighted average of 61.41%. Ten PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and three contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Nutrition counseling rates ranged from a low of 57.52% to a high of 70.13%.


Table 3.7: Weight Assessment and Counseling – Nutrition 3-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
59.61 ↓	63.75 ↑	70.13 ↑	UPMC for Kids
65.28 ↑	63.56 ↓	69.98 ↑	Geisinger
59.85 ↑	61.71 ↑	69.83 ↑	Capital Blue Cross
56.93 –	68.37 ↑	66.18 ↓	Kidz Partners
67.16 ↑	65.79 ↓	66.09 ↑	Highmark BC/BS
58.29 ↑	61.41 ↑	64.82 ↑	PA CHIP Weighted Average
56.14 ↑	66.15 ↑	64.24 ↓	Keystone East
52.55 ↑	60.34 ↑	63.50 ↑	UnitedHealthcare
51.42 ↑	54.95 ↑	59.49 ↑	Aetna
52.80 ↓	54.01 ↑	59.37 ↑	Highmark BS
61.02 ↑	55.79 ↓	57.52 ↓	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 22: Weight Assessment and Counseling – Nutrition 3-17 Years



WCC Nutrition 3-11 Years: Results

Table 3.8

WCC - Nutrition	HEDIS 2014
PA CHIP Weighted Average	68.35%
PA Medicaid Weighted Average	69.46%
Medicaid Average - National	50 th percentile
Medicaid Average - Regional	25 th percentile

WCC Nutrition 3-11 Years: Analysis

The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Counseling for Nutrition weighted average for children 3-11 years old was 68.35%. This weighted average was 3.43 percentage points above the HEDIS 2013 weighted average of 64.92%. Ten PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and three contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Nutrition counseling rates ranged from a low of 58.93% to a high of 76.36%.




Table 3.9: Weight Assessment and Counseling – Nutrition 3-11 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
69.89 ↓	70.33 ↑	76.36 ↑	Highmark BC/BS
61.22 ↓	65.97 ↑	72.25 ↑	UPMC for Kids
60.19 ↓	63.05 ↑	71.74 ↑	Capital Blue Cross
68.86 ↑	65.07 ↓	70.59 ↑	Geisinger
60.94 ↑	64.92 ↑	68.35 ↑	PA CHIP Weighted Average
61.35 ↑	70.95 ↑	67.26 ↓	Keystone East
56.22 –	76.58 ↑	66.82 ↓	Kidz Partners
56.02 ↑	61.82 ↑	66.67 ↑	Aetna
52.76 ↓	56.70 ↑	63.89 ↑	Highmark BS
55.00 ↓	63.90 ↑	63.52 ↓	UnitedHealthcare
67.84 ↑	56.76 ↓	58.93 ↑	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 23: Weight Assessment and Counseling – Nutrition 3-11 Years



WCC Nutrition 12-17 Years: Results

Table 3.10

WCC - Nutrition	HEDIS 2014
PA CHIP Weighted Average	61.03%
PA Medicaid Weighted Average	65.47%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	10 th percentile

WCC Nutrition 12-17 Years: Analysis

The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Counseling for Nutrition weighted average for adolescents 12-17 years old was 61.03%. This weighted average was 3.35 percentage points above the HEDIS 2013 weighted average of 57.68%. Ten PA CHIP contractors reported rates for this measure with eight contractors reporting increased rates and two contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Nutrition counseling rates ranged from a low of 49.73% to a high of 69.09%.


Table 3.11: Weight Assessment and Counseling – Nutrition 12-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
60.77 ↑	61.22 ↑	69.09 ↑	Geisinger
59.50 ↑	60.39 ↑	67.40 ↑	Capital Blue Cross
57.23 ↑	60.69 ↑	67.26 ↑	UPMC for Kids
58.02 –	58.73 ↑	65.43 ↑	Kidz Partners
49.74 ↑	55.29 ↑	63.48 ↑	UnitedHealthcare
50.96 ↑	61.98 ↑	61.23 ↓	Keystone East
55.52 ↑	57.68 ↑	61.03 ↑	PA CHIP Weighted Average
65.07 ↑	61.62 ↓	59.09 ↓	Highmark BC/BS
55.17 ↑	54.76 ↓	56.14 ↑	First Priority Health
52.87 ↑	50.80 ↓	54.36 ↑	Highmark BS
45.36 ↑	47.55 ↑	49.73 ↑	Aetna

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 24: Weight Assessment and Counseling – Nutrition 12-17 Years





Weight Assessment and Counseling – Physical Activity

WCC Physical Activity 3-17 Years: Results

Table 3.12

WCC – Physical Activity	HEDIS 2014
PA CHIP Weighted Average	58.98%
PA Medicaid Weighted Average	60.03%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	25 th percentile

WCC Physical Activity 3-17 Years: Analysis

The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Counseling for Physical Activity weighted average for children and adolescents 3-17 years old was 58.98%. The HEDIS 2014 weighted average of 58.98% was 3.93 percentage points above the HEDIS 2013 weighted average of 55.05%. Ten PA CHIP contractors reported rates for this measure with seven contractors reporting increased rates and three contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Physical activity counseling rates ranged from a low of 49.56% to a high of 67.09%.


Table 3.13: Weight Assessment and Counseling – Physical Activity 3-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
59.85 ↑	61.80 ↑	67.09 ↑	UPMC for Kids
53.28 ↑	50.00 ↓	66.91 ↑	Capital Blue Cross
66.67 ↑	65.79 ↓	65.60 ↓	Highmark BC/BS
65.77 ↑	57.98 ↓	62.53 ↑	Geisinger
42.58 –	56.20 ↑	59.12 ↑	Kidz Partners
53.09 ↑	55.05 ↑	58.98 ↑	PA CHIP Weighted Average
41.36 ↑	52.80 ↑	58.15 ↑	UnitedHealthcare
48.42 ↓	46.96 ↓	53.77 ↑	Highmark BS
47.47 ↑	55.75 ↑	52.32 ↓	Keystone East
43.16 ↑	46.23 ↑	50.46 ↑	Aetna
61.25 ↑	54.86 ↓	49.56 ↓	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 25: Weight Assessment and Counseling – Physical Activity 3-17 Years



WCC Physical Activity 3-11 Years: Results

Table 3.14

WCC – Physical Activity	HEDIS 2014
PA CHIP Weighted Average	58.53%
PA Medicaid Weighted Average	57.73%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	25 th percentile

WCC Physical Activity 3-11 Years: Analysis


The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Counseling for Physical Activity weighted average for children 3-11 years old was 58.53%. The HEDIS 2014 weighted average was 5.73 percentage points above the HEDIS 2013 weighted average of 52.80%. Ten PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and three contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Physical activity counseling rates ranged from a low of 45.54% to a high of 71.52%.

Table 3.15: Weight Assessment and Counseling – Physical Activity 3-11 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
65.34 ↑	65.93 ↑	71.52 ↑	Highmark BC/BS
59.59 ↑	61.34 ↑	68.72 ↑	UPMC for Kids
50.71 ↑	41.87 ↓	66.52 ↑	Capital Blue Cross
52.09 ↑	52.80 ↑	58.53 ↑	PA CHIP Weighted Average
66.67 ↑	54.59 ↓	57.98 ↑	Geisinger
38.18 ↓	50.62 ↑	55.36 ↑	UnitedHealthcare
38.55 –	58.11 ↑	55.16 ↓	Kidz Partners
45.64 ↑	48.18 ↑	53.01 ↑	Aetna
46.85 ↓	44.20 ↓	52.31 ↑	Highmark BS
47.83 ↑	52.38 ↑	49.56 ↓	Keystone East
64.82 ↑	54.95 ↓	45.54 ↓	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 26: Weight Assessment and Counseling – Physical Activity 3-11 Years



WCC Physical Activity 12-17 Years: Results

Table 3.16

WCC – Physical Activity	HEDIS 2014
PA CHIP Weighted Average	59.54%
PA Medicaid Weighted Average	64.77%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	10 th percentile

WCC Physical Activity 12-17 Years: Analysis


The PA CHIP HEDIS 2014 Weight Assessment and Counseling for Nutrition and Physical Activity – Counseling for Physical Activity weighted average for adolescents 12-17 years old was 59.54%. This weighted average was 2.19 percentage points above the HEDIS 2013 weighted average of 57.35%. Ten PA CHIP contractors reported rates for this measure with seven contractors reporting increased rates and three contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Counseling for physical activity rates ranged from a low of 46.99% to a high of 69.09%.

Table 3.17: Weight Assessment and Counseling – Physical Activity 12-17 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
64.64 ↑	63.27 ↓	69.09 ↑	Geisinger
56.00 ↑	57.97 ↑	67.40 ↑	Capital Blue Cross
60.24 ↑	62.43 ↑	64.88 ↑	UPMC for Kids
48.77 –	53.97 ↑	63.83 ↑	Kidz Partners
45.03 ↑	55.88 ↑	61.80 ↑	UnitedHealthcare
67.69 ↑	65.66 ↓	61.57 ↓	Highmark BC/BS
54.14 ↑	57.35 ↑	59.54 ↑	PA CHIP Weighted Average
50.96 ↓	50.27 ↓	55.38 ↑	Highmark BS
47.12 ↑	58.68 ↑	55.07 ↓	Keystone East
58.19 ↑	54.76 ↓	53.51 ↓	First Priority Health
39.89 ↑	44.12 ↑	46.99 ↑	Aetna

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
 - ↑ ↓ – represents a comparison with the prior year's rate

Figure 27: Weight Assessment and Counseling – Physical Activity 12-17 Years





CHILDHOOD IMMUNIZATION STATUS (CIS)

Measure Description

This group of measures assess the percentage of children two years old who had four diphtheria, tetanus and acellular pertussis (DTaP), three polio (IPV), one measles, mumps and rubella (MMR), two H influenza type B (HiB), three hepatitis B (HepB), one chicken pox (VZV), four pneumococcal conjugate vaccines (PCV), one hepatitis A (HepA), two or three rotavirus (RV) and two influenza (flu) vaccines by their second birthday. For this measure, one rate is calculated for each vaccine in addition to nine separate combination rates (Combinations 2 through 10). Results for the combination rates are presented below:

Combination Vaccinations for Childhood Immunization Status².

Table 3.18

Combination	DTaP	IPV	MMR	HiB	HepB	VZV	PCV	HepA	RV	Influenza
Combination 2	✓	✓	✓	✓	✓	✓				
Combination 3	✓	✓	✓	✓	✓	✓	✓			
Combination 4	✓	✓	✓	✓	✓	✓	✓	✓		
Combination 5	✓	✓	✓	✓	✓	✓	✓		✓	
Combination 6	✓	✓	✓	✓	✓	✓	✓			✓
Combination 7	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Combination 8	✓	✓	✓	✓	✓	✓	✓	✓		✓
Combination 9	✓	✓	✓	✓	✓	✓	✓		✓	✓
Combination 10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Combination 2

CIS Combination 2: Results

Table 3.19

CIS - Combination 2	HEDIS 2014
PA CHIP Weighted Average	81.00%
PA Medicaid Weighted Average	77.53%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

CIS Combination 2: Analysis

The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 2 weighted average of 81.00% was 2.11 percentage points above the HEDIS 2013 weighted average of 78.89%. Ten PA CHIP contractors reported rates for this measure. Six contractors reported increased rates and four contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 61.54% to a high of 86.27%.


² HEDIS® 2014 Technical Specifications, Volume 2, page 66

Table 3.20: Childhood Immunization Status – Combination 2

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
78.46 ↓	79.49 ↑	86.27 ↑	Highmark BC/BS
78.16 –	87.50 ↑	85.38 ↓	Geisinger
74.02 ↓	80.78 ↑	84.28 ↑	UPMC for Kids
81.45 ↑	82.69 ↑	82.11 ↓	Capital Blue Cross
79.67 ↑	78.89 ↓	81.00 ↑	PA CHIP Weighted Average
79.05 ↓	78.25 ↓	80.56 ↑	UnitedHealthcare
79.48 ↑	73.56 ↓	79.93 ↑	Aetna
76.82 ↑	74.77 ↓	79.12 ↑	Highmark BS
84.43 ↑	82.52 ↓	77.46 ↓	Keystone East
82.95 ↑	66.40 ↓	76.25 ↑	First Priority Health
NA	87.10 –	61.54 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 28: Childhood Immunization Status – Combination 2



- NA = denominator <30

Combination 3

CIS Combination 3: Results

Table 3.21

CIS - Combination 3	HEDIS 2014
PA CHIP Weighted Average	78.71%
PA Medicaid Weighted Average	74.39%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	95 th percentile

CIS Combination 3: Analysis


At 78.71%, the PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 3 weighted average was 2.74 percentage points above the HEDIS 2013 weighted average of 75.97%. Ten PA CHIP contractors reported rates for this measure with six contractors reporting increased rates and four contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 61.54% to a high of 84.62%.

Table 3.22: Childhood Immunization Status – Combination 3

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
73.56 –	85.16 ↑	84.62 ↓	Geisinger
76.92 ↓	76.92 –	84.31 ↑	Highmark BC/BS
70.59 ↓	78.59 ↑	83.61 ↑	UPMC for Kids
75.40 ↑	80.38 ↑	79.65 ↓	Capital Blue Cross
75.75 ↑	75.97 ↑	78.71 ↑	PA CHIP Weighted Average
73.32 ↓	70.82 ↓	77.50 ↑	UnitedHealthcare
74.92 ↑	72.04 ↓	77.42 ↑	Aetna
72.96 ↑	72.48 ↓	75.82 ↑	Highmark BS
80.62 ↑	64.00 ↓	75.00 ↑	First Priority Health
81.53 ↑	80.91 ↓	73.94 ↓	Keystone East
NA	83.87 –	61.54 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 29: Childhood Immunization Status – Combination 3



- NA = Denominator <30



Combination 4

CIS Combination 4: Results

Table 3.23

CIS - Combination 4	HEDIS 2014
PA CHIP Weighted Average	73.02%
PA Medicaid Weighted Average	70.43%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	90 th percentile

CIS Combination 4: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 4 weighted average of 73.02% was 3.13 percentage points above the HEDIS 2013 weighted average of 69.89%. Ten PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and three contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 56.41% to a high of 80.00%.

Table 3.24: Childhood Immunization Status – Combination 4

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
40.23 –	75.78 ↑	80.00 ↑	Geisinger
34.80 ↓	73.97 ↑	79.60 ↑	UPMC for Kids
40.00 ↓	70.33 ↑	77.94 ↑	Highmark BC/BS
38.44 ↑	66.87 ↑	73.48 ↑	Aetna
39.73 ↑	69.89 ↑	73.02 ↑	PA CHIP Weighted Average
43.64 ↑	66.31 ↑	71.67 ↑	UnitedHealthcare
35.89 ↓	72.69 ↑	71.58 ↓	Capital Blue Cross
43.01 ↑	75.08 ↑	69.37 ↓	Keystone East
41.20 ↑	66.51 ↑	69.23 ↑	Highmark BS
32.56 ↑	51.20 ↑	63.75 ↑	First Priority Health
NA	83.87 –	56.41 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 30: Childhood Immunization Status – Combination 4



- NA = Denominator <30

Combination 5

CIS Combination 5: Results

Table 3.25

CIS - Combination 5	HEDIS 2014
PA CHIP Weighted Average	69.66%
PA Medicaid Weighted Average	62.45%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	90 th percentile

CIS Combination 5: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 5 weighted average at 69.66% was 3.96 percentage points above the HEDIS 2013 weighted average of 65.70%. Ten PA CHIP contractors reported rates for this measure with eight contractors reporting increased rates and two contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 51.28% to a high of 80.39%.

Table 3.26: Childhood Immunization Status – Combination 5

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
68.62 ↑	71.43 ↑	80.39 ↑	Highmark BC/BS
62.07 –	74.22 ↑	77.69 ↑	Geisinger
58.82 ↓	69.10 ↑	73.58 ↑	UPMC for Kids
63.19 ↑	61.09 ↓	70.97 ↑	Aetna
63.29 ↑	65.70 ↑	69.66 ↑	PA CHIP Weighted Average
60.48 ↑	67.31 ↑	69.12 ↑	Capital Blue Cross
63.09 ↑	66.51 ↑	67.58 ↑	Highmark BS
59.10 ↓	59.42 ↑	65.83 ↑	UnitedHealthcare
54.26 ↑	53.60 ↓	65.00 ↑	First Priority Health
70.71 ↑	67.31 ↓	63.38 ↓	Keystone East
NA	70.97 –	51.28 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 31: Childhood Immunization Status – Combination 5



- NA = Denominator <30

Combination 6

CIS Combination 6: Results

Table 3.27

CIS - Combination 6	HEDIS 2014
PA CHIP Weighted Average	57.89%
PA Medicaid Weighted Average	54.26%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	90 th percentile

CIS Combination 6: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 6 weighted average was 57.89% which was 2.50 percentage points above the HEDIS 2013 weighted average of 55.39%. Ten PA CHIP contractors reported rates for this measure. Six contractors reported increased rates and four contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 46.15% to a high of 63.21%.

Table 3.28: Childhood Immunization Status – Combination 6

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
50.98 ↓	56.45 ↑	63.21 ↑	UPMC for Kids
52.44 ↓	57.14 ↑	61.65 ↑	Aetna
54.15 ↑	53.85 ↓	61.27 ↑	Highmark BC/BS
44.83 –	58.59 ↑	60.77 ↑	Geisinger
59.10 ↑	59.87 ↑	59.51 ↓	Keystone East
53.01 ↑	55.39 ↑	57.89 ↑	PA CHIP Weighted Average
56.65 ↑	57.34 ↑	55.49 ↓	Highmark BS
50.37 ↑	51.46 ↑	55.00 ↑	UnitedHealthcare
50.40 ↓	58.08 ↑	53.33 ↓	Capital Blue Cross
48.84 ↑	40.80 ↓	46.25 ↑	First Priority Health
NA	48.39 –	46.15 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 32: Childhood Immunization Status – Combination 6



- NA = Denominator <30



Combination 7

CIS Combination 7: Results

Table 3.29

CIS - Combination 7	HEDIS 2014
PA CHIP Weighted Average	66.34%
PA Medicaid Weighted Average	59.84%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	95 th percentile

CIS Combination 7: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 7 weighted average was 66.34% which was 4.66 percentage points above the HEDIS 2013 weighted average of 61.68%. Ten PA CHIP contractors reported rates for this measure. Eight contractors reported increased rates and two contractors reported decreased rates from HEDIS 2013 to HEDIS 2014 with childhood immunization rates ranging from a low of 46.15% to a high of 75.98%.

Table 3.30: Childhood Immunization Status – Combination 7

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
38.15 ↓	66.30 ↑	75.98 ↑	Highmark BC/BS
35.63 –	67.19 ↑	74.62 ↑	Geisinger
31.37 ↓	65.69 ↑	72.24 ↑	UPMC for Kids
33.22 ↑	57.45 ↑	68.46 ↑	Aetna
35.38 ↑	61.68 ↑	66.34 ↑	PA CHIP Weighted Average
39.06 ↑	61.93 ↑	64.29 ↑	Highmark BS
31.45 ↓	61.92 ↑	64.21 ↑	Capital Blue Cross
38.15 ↑	57.56 ↑	63.06 ↑	UnitedHealthcare
38.26 ↑	64.40 ↑	60.21 ↓	Keystone East
23.26 ↑	45.60 ↑	57.50 ↑	First Priority Health
NA	70.97 –	46.15 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 33: Childhood Immunization Status – Combination 7



- NA = Denominator <30

Combination 8

CIS Combination 8: Results

Table 3.31

CIS - Combination 8	HEDIS 2014
PA CHIP Weighted Average	55.37%
PA Medicaid Weighted Average	52.43%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

CIS Combination 8: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 8 weighted average was 55.37% which was 2.99 percentage points above the HEDIS 2013 weighted average of 52.38%. Ten PA CHIP contractors reported rates for this measure. Six contractors reported increased rates and four contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 40.00% to a high of 60.54%.

Table 3.32: Childhood Immunization Status – Combination 8

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
26.47 ↓	53.53 ↑	60.54 ↑	UPMC for Kids
28.01 ↓	54.71 ↑	59.86 ↑	Aetna
30.15 ↑	51.65 ↑	58.82 ↑	Highmark BC/BS
25.29 –	53.91 ↑	58.46 ↑	Geisinger
33.51 ↑	57.61 ↑	57.39 ↓	Keystone East
29.87 ↑	52.38 ↑	55.37 ↑	PA CHIP Weighted Average
31.92 ↑	49.87 ↑	52.78 ↑	UnitedHealthcare
34.33 ↑	53.67 ↑	51.65 ↓	Highmark BS
27.82 ↓	53.46 ↑	51.23 ↓	Capital Blue Cross
NA	48.39 –	43.59 ↓	Kidz Partners
20.93 ↑	33.60 ↑	40.00 ↑	First Priority Health

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 34: Childhood Immunization Status – Combination 8



- NA = Denominator <30

Combination 9

CIS Combination 9: Results

Table 3.33

CIS - Combination 9	HEDIS 2014
PA CHIP Weighted Average	52.76%
PA Medicaid Weighted Average	46.98%
Quality Compass Percentile Benchmark Met – National	90 th percentile
Quality Compass Percentile Benchmark Met – Regional	95 th percentile

CIS Combination 9: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 9 rate was 52.76% which was 3.29 percentage points above the HEDIS 2013 weighted average of 49.47%. Ten PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and three contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 35.90% to a high of 59.31%.

Table 3.34: Childhood Immunization Status – Combination 9

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
49.54 ↑	52.01 ↑	59.31 ↑	Highmark BC/BS
37.93 –	53.91 ↑	58.46 ↑	Geisinger
46.58 ↓	48.33 ↑	58.06 ↑	Aetna
44.61 ↓	51.09 ↑	56.86 ↑	UPMC for Kids
46.58 ↑	49.47 ↑	52.76 ↑	PA CHIP Weighted Average
52.24 ↑	52.10 ↓	52.46 ↑	Keystone East
51.07 ↑	53.67 ↑	51.10 ↓	Highmark BS
44.35 ↓	50.77 ↑	48.77 ↓	Capital Blue Cross
42.64 ↑	45.09 ↑	48.06 ↑	UnitedHealthcare
39.53 ↑	35.20 ↓	41.25 ↑	First Priority Health
NA	41.94 –	35.90 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 35: Childhood Immunization Status – Combination 9



- NA = Denominator <30



Combination 10

CIS Combination 10: Results

Table 3.35

CIS - Combination 10	HEDIS 2014
PA CHIP Weighted Average	50.98%
PA Medicaid Weighted Average	45.64%
Quality Compass Percentile Benchmark Met – National	90 th percentile
Quality Compass Percentile Benchmark Met – Regional	95 th percentile

CIS Combination 10: Analysis


The PA CHIP HEDIS 2014 Childhood Immunization Status – Combination 10 weighted average was 50.98% which was 3.75 percentage points above the HEDIS 2013 weighted average of 47.23%. Ten PA CHIP contractors reported rates for this measure. Six contractors reported increased rates and four contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Childhood immunization rates ranged from a low of 33.33% to a high of 57.35%.

Table 3.36: Childhood Immunization Status – Combination 10

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
28.92 ↑	50.18 ↑	57.35 ↑	Highmark BC/BS
22.99 –	49.22 ↑	56.92 ↑	Geisinger
24.76 ↓	46.81 ↑	56.63 ↑	Aetna
24.51 ↓	48.91 ↑	55.52 ↑	UPMC for Kids
26.95 ↑	47.23 ↑	50.98 ↑	PA CHIP Weighted Average
29.55 ↑	51.13 ↑	50.70 ↓	Keystone East
32.62 ↑	50.00 ↑	48.35 ↓	Highmark BS
28.18 ↑	44.30 ↑	47.50 ↑	UnitedHealthcare
24.60 ↓	46.92 ↑	46.67 ↓	Capital Blue Cross
16.28 ↑	30.40 ↑	35.00 ↑	First Priority Health
NA	41.94 –	33.33 ↓	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 36: Childhood Immunization Status – Combination 10



- NA = Denominator <30



IMMUNIZATIONS FOR ADOLESCENTS (IMA)

Measure Description

This group of measures assess the percentage of adolescents 13 years old who had one dose of meningococcal vaccine and one tetanus, diphtheria toxoids and acellular pertusus (Tdap), or one tetanus diphtheria toxoids (Td) vaccine by their 13th birthday. This measure calculates a rate for each vaccine and one combination rate.

Meningococcal Vaccine

IMA Meningococcal Vaccine: Results

Table 3.37

IMA - Meningococcal	HEDIS 2014
PA CHIP Weighted Average	86.50%
PA Medicaid Weighted Average	85.06%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

IMA Meningococcal Vaccine: Analysis

The PA CHIP HEDIS 2014 Immunizations for Adolescents – Meningococcal Vaccine weighted average was 86.50% which was 0.95 percentage points below the HEDIS 2013 weighted average of 87.45%. Ten PA CHIP contractors reported rates for this measure. Five contractors reported increased rates and five contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Meningococcal vaccine immunization rates ranged from a low of 83.02% to a high of 89.94%.

Table 3.38: Immunizations for Adolescents – Meningococcal Vaccine


HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
87.50 ↑	91.79 ↑	89.94 ↓	Highmark BC/BS
74.93 ↑	86.71 ↑	89.35 ↑	Aetna
88.01 ↑	89.47 ↑	87.17 ↓	Keystone East
81.99 ↑	87.45 ↑	86.50 ↓	PA CHIP Weighted Average
83.45 ↑	83.94 ↑	86.15 ↑	UPMC for Kids
82.20 ↑	89.24 ↑	85.51 ↓	Highmark BS
72.97 –	84.27 ↑	85.37 ↑	Kidz Partners
77.90 ↑	76.65 ↓	85.06 ↑	UnitedHealthcare
77.98 ↑	84.26 ↑	84.33 ↑	First Priority Health
61.15 –	84.65 ↑	83.60 ↓	Geisinger
78.07 ↑	91.77 ↑	83.02 ↓	Capital Blue Cross

- NA = Denominator <30

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- ↑ ↓ – represents a comparison with the prior year's rate

Figure 37: Meningococcal Vaccination



- NA = Kidz Partners did not report rates prior to HEDIS 2012 (New Contractor)

Tdap/Td

IMA Tdap/Td: Results

Table 3.39

IMA – Tdap/Td	HEDIS 2014
PA CHIP Weighted Average	88.51%
PA Medicaid Weighted Average	86.98%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	25 th percentile

IMA Tdap/Td: Analysis


The PA CHIP HEDIS 2014 Immunizations for Adolescents – Tdap/Td weighted average was 88.51% which was 0.82 percentage points below the HEDIS 2013 weighted average of 89.33%. Ten PA CHIP contractors reported rates for this measure with five contractors reporting increased rates and five contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Tdap/tid immunization rates ranged from a low of 86.00% to a high of 91.19%.

Table 3.40: Immunizations for Adolescents – Tdap/Td

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
92.23 ↑	92.27 ↑	91.19 ↓	Highmark BC/BS
83.33 ↑	91.67 ↑	90.82 ↓	Highmark BS
83.29 ↑	88.66 ↑	89.40 ↑	First Priority Health
77.63 ↑	88.15 ↑	88.89 ↑	Aetna
84.53 ↑	89.33 ↑	88.51 ↓	PA CHIP Weighted Average
77.90 ↑	77.34 ↓	88.41 ↑	UnitedHealthcare
80.41 ↑	94.82 ↑	88.05 ↓	Capital Blue Cross
84.91 ↑	86.86 ↑	86.92 ↑	UPMC for Kids
89.27 ↑	91.23 ↑	86.28 ↓	Keystone East
72.97 –	87.64 ↑	86.18 ↓	Kidz Partners
68.35 –	85.89 ↑	86.00 ↑	Geisinger

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 38: Immunizations for Adolescents – Tdap/Td



- NA = Denominator <30

Combination 1

IMA Combination 1: Results

Table 3.41

IMA - Combination 1	HEDIS 2014
PA CHIP Weighted Average	84.19%
PA Medicaid Weighted Average	83.16%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

IMA Combination 1: Analysis


The PA CHIP HEDIS 2014 Immunizations for Adolescents – Combination 1 weighted average was 84.19% which was 1.31 percentage points below the HEDIS 2013 weighted average of 85.50%. Ten PA CHIP contractors reported rates for this measure with three contractors reporting increased rates and seven contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Combination immunization rates ranged from a low of 79.87% to a high of 88.68%.

Table 3.42: Immunizations for Adolescents – Combination 1

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
86.49 ↑	90.82 ↑	88.68 ↓	Highmark BC/BS
72.51 ↑	84.39 ↑	85.88 ↑	Aetna
81.02 ↑	81.75 ↑	85.00 ↑	UPMC for Kids
79.17 ↑	85.50 ↑	84.19 ↓	PA CHIP Weighted Average
72.24 ↑	73.00 ↑	83.84 ↑	UnitedHealthcare
86.12 ↑	87.72 ↑	83.63 ↓	Keystone East
78.53 ↑	86.81 ↑	83.09 ↓	Highmark BS
70.27 –	83.15 ↑	82.93 ↓	Kidz Partners
75.60 ↑	82.64 ↑	82.56 ↓	First Priority Health
58.99 –	82.16 ↑	82.00 ↓	Geisinger
73.10 ↑	90.24 ↑	79.87 ↓	Capital Blue Cross

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 39: Immunizations for Adolescents - Combination 1



- NA = Denominator <30



LEAD SCREENING IN CHILDREN (LSC)

Measure Description

The percentage of children two years old who had one or more capillary or venous lead blood tests for lead poisoning prior to their second birthday.

LSC: Results

Table 3.43

LSC	HEDIS 2014
PA CHIP Weighted Average	49.90%
PA Medicaid Weighted Average	74.86%
Quality Compass Percentile Benchmark Met – National	10 th percentile
Quality Compass Percentile Benchmark Met – Regional	Below 10 th percentile

LSC: Analysis


The PA CHIP HEDIS 2014 Lead Screening in Children weighted average at 49.90% was 0.40 percentage points above the HEDIS 2013 weighted average of 49.50%. Ten PA CHIP contractors reported rates for this measure with eight contractors reporting increased rates and two contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Lead screening rates ranged from a low of 36.26% to a high of 62.22%.

Table 3.44: Lead Screening in Children

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
65.59 ↓	54.38 ↓	62.22 ↑	UnitedHealthcare
NA	58.06 –	61.54 ↑	Kidz Partners
48.53 ↓	72.99 ↑	55.52 ↓	UPMC for Kids
45.91 ↓	51.46 ↑	52.82 ↑	Keystone East
44.59 ↓	49.50 ↑	49.90 ↑	PA CHIP Weighted Average
42.77 ↑	46.89 ↑	48.04 ↑	Highmark BC/BS
37.46 ↓	38.91 ↑	48.03 ↑	Aetna
35.66 ↑	36.80 ↑	47.50 ↑	First Priority Health
40.23 –	35.94 ↓	43.85 ↑	Geisinger
39.52 ↓	38.08 ↓	39.30 ↑	Capital Blue Cross
27.04 ↓	38.07 ↑	36.26 ↓	Highmark BS

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 40: Lead Screening in Children



- NA = Denominator <30



APPROPRIATE TESTING FOR CHILDREN WITH PHARYNGITIS (CWP)

Measure Description

This measure assesses the percentage of children two to 18 years old, who were diagnosed with pharyngitis, were prescribed an antibiotic, and who were given a group A streptococcus test.

CWP: Results

Table 3.45

CWP	HEDIS 2014
PA CHIP Weighted Average	77.25%
PA Medicaid Weighted Average	68.99%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	50 th percentile

CWP: Analysis


The PA CHIP HEDIS 2014 Appropriate Testing for Children with Pharyngitis measure weighted average was 77.25% which was 1.92 percentage points above the HEDIS 2013 weighted average of 75.33%. Ten PA CHIP contractors reported rates for this measure. Eight contractors reported increased rates and two contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Appropriate testing rates ranged from a low of 67.23% to a high of 87.81%.

Table 3.46: Appropriate Testing for Children with Pharyngitis

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
83.56 ↑	82.85 ↓	87.81 ↑	UPMC for Kids
83.90 ↓	85.55 ↑	86.91 ↑	Highmark BC/BS
71.95 ↑	73.43 ↑	78.48 ↑	Highmark BS
72.72 ↑	73.74 ↑	77.96 ↑	Capital Blue Cross
74.69 ↑	75.33 ↑	77.25 ↑	PA CHIP Weighted Average
75.04 ↑	74.43 ↓	74.98 ↑	Keystone East
72.80 ↑	74.72 ↑	73.30 ↓	Aetna
70.06 ↓	70.14 ↑	72.99 ↑	Geisinger
58.82 –	61.26 ↑	70.83 ↑	Kidz Partners
66.81 ↑	68.74 ↑	68.40 ↓	UnitedHealthcare
63.63 ↑	64.32 ↑	67.23 ↑	First Priority Health

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 41: Appropriate Testing for Children with Pharyngitis





CHLAMYDIA SCREENING IN WOMEN (CHL)

Measure Description

This measure assesses the percentage of women 16–19 years old who were identified as sexually active and who had at least one test for chlamydia during the measurement year.

CHL 16-19 Years: Results

Table 3.47

CWP	HEDIS 2014
PA CHIP Weighted Average	35.95%
PA Medicaid Weighted Average*	58.77%
Quality Compass Percentile Benchmark Met – National*	Below 10 th percentile
Quality Compass Percentile Benchmark Met – Regional*	Below 10 th percentile

- MMC rate includes members 16-20 years of age

CHL 16-19 Years: Analysis


The PA CHIP HEDIS 2014 Chlamydia Screening in Women 16-19 years old measure weighted average was 35.95% which was 1.36 percentage points below the HEDIS 2013 weighted average of 37.31%. Ten PA CHIP contractors reported rates for this measure with eight contractors reporting decreased rates and two contractors reporting increased rates from HEDIS 2013 to HEDIS 2014. Chlamydia screening rates ranged from a low of 21.71% to a high of 63.29%.

Table 3.48: Chlamydia Screening in Women – 16-19 Years

HEDIS 2013	HEDIS 2014	PA CHIP Contractor
65.38	63.29 ↓	Kidz Partners
50.25	47.97 ↓	Keystone East
45.10	42.26 ↓	Aetna
44.41	40.28 ↓	UnitedHealthcare
37.31	35.95 ↓	PA CHIP Weighted Average
38.47	35.47 ↓	UPMC for Kids
35.40	35.33 ↓	Geisinger
30.44	32.11 ↑	Capital Blue Cross
30.14	29.96 ↓	Highmark BC/BS
28.75	28.80 ↑	Highmark BS
23.19	21.71 ↓	First Priority Health

- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- HEDIS 2013 was the first reporting year for this measure for PA CHIP Contractors
- ↑ ↓ represents a comparison with the prior year's rate

Figure 42: Chlamydia Screening in Women - Total Rate





APPROPRIATE TREATMENT FOR CHILDREN WITH UPPER RESPIRATORY INFECTION (URI)

Measure Description

The Appropriate Treatment for Children with Upper Respiratory Infection measure assesses the percentage of children three months to 18 years old who were diagnosed with an upper respiratory infection and who were not prescribed an antibiotic.

URI: Results

Table 3.49

URI	HEDIS 2014
PA CHIP Weighted Average	82.70%
PA Medicaid Weighted Average	87.23%
Quality Compass Percentile Benchmark Met – National	25 th percentile
Quality Compass Percentile Benchmark Met – Regional	Below 10 th percentile

URI: Analysis


The PA CHIP HEDIS 2014 Appropriate Treatment for Children with Upper Respiratory Infection weighted average was 82.70% which was 1.58 percentage points above the HEDIS 2013 weighted average of 81.12%. Ten PA CHIP contractors reported rates for this measure with eight contractors reporting increased rates and two contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Appropriate URI testing rates ranged from a low of 78.81% to a high of 93.04%.

Table 3.50: Appropriate Testing For Children with Upper Respiratory Infection

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
90.53 ↓	86.67 ↓	93.04 ↑	Geisinger
79.10 –	84.85 ↑	85.77 ↑	Kidz Partners
81.23 ↑	82.57 ↑	84.67 ↑	Aetna
83.15 ↓	83.82 ↑	84.13 ↑	Keystone East
80.19 ↓	81.12 ↑	82.70 ↑	PA CHIP Weighted Average
79.96 ↓	80.28 ↑	82.63 ↑	UnitedHealthcare
80.28 ↓	82.83 ↑	82.16 ↓	Capital Blue Cross
83.75 ↓	81.52 ↓	82.12 ↑	UPMC for Kids
75.69 ↓	75.92 ↑	79.90 ↑	Highmark BC/BS
79.79 ↓	81.17 ↑	79.71 ↓	Highmark BS
75.65 ↓	76.57 ↑	78.81 ↑	First Priority Health

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 43: Appropriate Testing For Children with Upper Respiratory Infection





USE OF APPROPRIATE MEDICATIONS FOR PEOPLE WITH ASTHMA (ASM)

Measure Description

The Use of Appropriate Medications for Children with Asthma assesses the percentage of children five to 19 years old who were identified as having persistent asthma, and who were appropriately prescribed medication to control their condition.

ASM 5-19 Years: Results

Table 3.51

ASM Age 5 – 19 Years	HEDIS 2014
PA CHIP Weighted Average	91.79%
PA Medicaid Weighted Average*	89.99%
Quality Compass Percentile Benchmark Met – National*	NA
Quality Compass Percentile Benchmark Met – Regional*	NA

- PA MMC rate includes members 5-18 years of age
- Medicaid benchmarks are not available for the 5-19 age range

ASM 5-19 Years: Analysis


The PA CHIP HEDIS 2014 Use of Appropriate Medications for Children with Asthma weighted average for children five to 19 years old at 91.79% was 0.46 percentage point above the HEDIS 2013 rate of 91.33%. Nine PA CHIP contractors reported rates for this measure. Seven contractors reported increased rates and two contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Appropriate asthma medication rates ranged from a low of 84.81% to a high of 94.42%.

Table 3.52: Use of Appropriate Medications for People with Asthma – Ages 5-19 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
95.91 ↑	90.51 ↓	94.42 ↑	Aetna
93.13 ↓	92.59 ↓	93.17 ↑	Highmark BS
92.54 ↓	91.33 ↓	93.15 ↑	Capital Blue Cross
90.75 ↓	91.90 ↑	92.13 ↑	Highmark BC/BS
92.10 ↓	91.33 ↓	91.79 ↑	PA CHIP Weighted Average
87.07 ↓	88.89 ↑	91.67 ↑	UPMC for Kids
94.01 ↓	91.55 ↓	91.60 ↑	Keystone East
87.36 ↑	89.42 ↑	90.33 ↑	UnitedHealthcare
90.10 ↓	92.72 ↑	89.44 ↓	First Priority Health
NA	94.44 –	84.81 ↓	Geisinger
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 44: Use of Appropriate Medications for People with Asthma – Ages 5-19 Years



- NA = Denominator <30

ASM 5-11 Years: Results

Table 3.53

ASM Age 5 – 11 Years	HEDIS 2014
PA CHIP Weighted Average	94.61%
PA Medicaid Weighted Average	91.39%
Quality Compass Percentile Benchmark Met – National	75 th percentile
Quality Compass Percentile Benchmark Met – Regional	95 th percentile

ASM 5-11 Years: Analysis


The PA CHIP HEDIS 2014 Use of Appropriate Medications for People with Asthma weighted average for children five to 11 years old was 94.61% which was 0.46 percentage points above the HEDIS 2013 weighted average of 94.15%. Nine PA CHIP contractors reported rates for this measure with four contractors reporting increased rates and four contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Appropriate asthma medication rates ranged from a low of 89.66% to a high of 98.67%.

Table 3.54: Use of Appropriate Medications for People with Asthma – Ages 5-11 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
89.29 –	94.44 ↑	98.67 ↑	UPMC for Kids
97.17 ↑	97.67 ↑	97.39 ↓	Highmark BC/BS
94.12 ↓	94.81 ↑	96.92 ↑	Highmark BS
97.26 ↑	92.57 ↓	95.60 ↑	Aetna
95.19 ↓	94.15 ↓	94.61 ↑	PA CHIP Weighted Average
97.46 ↑	93.72 ↓	94.08 ↑	Capital Blue Cross
NA	NA	93.88 –	Geisinger
94.99 ↓	94.07 ↓	93.45 ↓	Keystone East
89.93 ↑	92.16 ↑	91.73 ↓	UnitedHealthcare
96.10 ↑	91.86 ↓	89.66 ↓	First Priority Health
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 45: Use of Appropriate Medications for People with Asthma – Ages 5-11 Years



- NA = Denominator <30

ASM 12-18 Years: Results

Table 3.55

ASM Age 12 – 18 Years	HEDIS 2014
PA CHIP Weighted Average	89.31%
PA Medicaid Weighted Average	87.90%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

ASM 12-18 Years: Analysis


The PA CHIP HEDIS 2014 Use of Appropriate Medications for Children with Asthma weighted average for children 12 to 18 years old was 89.31% which was 0.85 percentage points above the HEDIS 2013 weighted average of 88.46%. Nine PA CHIP contractors reported rates for this measure. Six contractors reported increased rates and two contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Appropriate asthma medication rates ranged from a low of 70.00% to a high of 93.33%.

Table 3.56: Use of Appropriate Medications for People with Asthma – Ages 12-18 Years

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
94.74 ↑	89.12 ↓	93.33 ↑	Aetna
87.30 ↓	88.70 ↑	92.12 ↑	Capital Blue Cross
91.60 ↑	90.07 ↓	89.80 ↓	Highmark BS
92.98 ↓	88.79 ↓	89.78 ↑	Keystone East
89.23 ↓	88.46 ↓	89.31 ↑	PA CHIP Weighted Average
87.10 ↓	93.22 ↑	89.22 ↓	First Priority Health
84.43 ↓	85.95 ↑	88.81 ↑	UnitedHealthcare
86.07 ↓	87.36 ↑	88.55 ↑	Highmark BC/BS
84.75 ↓	83.33 ↓	85.07 ↑	UPMC for Kids
NA	NA	70.00 –	Geisinger
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 46: Use of Appropriate Medications for People with Asthma – Ages 12-18 Years



- NA = Denominator <30



FOLLOW-UP CARE FOR CHILDREN PRESCRIBED ADHD MEDICATION (ADD)

Measure Description

The Follow-Up Care for Children Prescribed ADHD Medication measure assesses the percentage of children six to 12 years old, newly prescribed ADHD medication, who have at least three follow-up care visits, one of which occurs within 30 days of when the first ADHD medication was dispensed.

ADD Initiation Phase: Results

Table 3.57

ADD Initiation Phase	HEDIS 2014
PA CHIP Weighted Average	44.97%
PA Medicaid Weighted Average	20.01%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	50 th percentile

ADD Initiation Phase: Analysis


The PA CHIP HEDIS 2014 Follow-Up Care for Children Prescribed ADHD Medication – Initiation Phase weighted average at 44.97% was 3.14 percentage points above the HEDIS 2013 rate of 41.83%. Nine PA CHIP Contractors reported rates for this measure with six contractors reporting increased rates and three contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. ADHD follow-up Initiation phase rates ranged from a low of 17.24% to a high of 65.79%.

Table 3.58: Follow-up Care for Children Prescribed ADHD Medication – Initiation Phase

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
43.33 –	48.98 ↑	65.79 ↑	Geisinger
65.43 ↑	52.31 ↓	60.76 ↑	UPMC for Kids
48.69 ↑	47.20 ↓	60.71 ↑	Highmark BC/BS
45.86 ↓	51.34 ↑	57.06 ↑	Highmark BS
47.81 ↑	45.33 ↓	49.22 ↑	Capital Blue Cross
39.56 ↓	32.84 ↓	46.15 ↑	First Priority Health
43.69 ↓	41.83 ↓	44.97 ↑	PA CHIP Weighted Average
29.79 ↑	30.73 ↑	30.00 ↓	Keystone East
53.80 ↑	43.01 ↓	28.64 ↓	Aetna
35.27 ↓	25.14 ↓	17.24 ↓	UnitedHealthcare
NA	NA	NA	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ represents a comparison with the prior year's rate

Figure 47: Follow-up Care for Children Prescribed ADHD Medication – Initiation Phase



- NA = Denominator <30
 - NA = Kidz Partners did not report rates prior to HEDIS 2012 (New Contractor)

ADD Continuation and Maintenance Phase: Results

Table 3.59

ADD Initiation Phase	HEDIS 2014
PA CHIP Weighted Average	51.23%
PA Medicaid Weighted Average	22.35%
Quality Compass Percentile Benchmark Met – National	50 th percentile
Quality Compass Percentile Benchmark Met – Regional	75 th percentile

ADD Continuation and Maintenance Phase: Analysis


The PA CHIP HEDIS 2014 Follow-Up Care for Children Prescribed ADHD Medication – Continuation and Maintenance Phase weighted average at 51.23% was 2.68 percentage points above the HEDIS 2013 rate of 48.55%. Six PA CHIP contractors reported rates for this measure. Four contractors reported increased rates and two contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. ADHD follow-up continuation and maintenance phase rates ranged from a low of 9.76% to a high of 79.07%.

Table 3.60: Follow-up Care for Children Prescribed ADHD Medication – Continuation and Maintenance Phase

HEDIS 2012	HEDIS 2013	HEDIS 2014	PA CHIP Contractor
57.14 ↓	62.50 ↑	79.07 ↑	Highmark BS
50.60 ↓	56.06 ↑	66.67 ↑	Highmark BC/BS
NA	51.92 –	58.18 ↑	UPMC for Kids
49.18 ↑	45.61 ↓	57.78 ↑	Capital Blue Cross
45.72 ↓	48.55 ↑	51.23 ↑	PA CHIP Weighted Average
56.52 ↓	52.08 ↓	24.39 ↓	Aetna
30.68 ↑	34.04 ↑	9.76 ↓	Keystone East
NA	NA	NA	First Priority Health
NA	NA	NA	Geisinger
NA	NA	NA	Kidz Partners
38.30 ↓	33.33 ↓	NA	UnitedHealthcare

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- ↑ ↓ – represents a comparison with the prior year's rate

Figure 48: Follow-up Care for Children Prescribed ADHD Medication – Continuation and Maintenance Phase



- NA = Denominator <30



FOLLOW UP CARE AFTER HOSPITALIZATION FOR MENTAL ILLNESS (FUH)

Measure Description

The follow-up care after hospitalization for mental illness measure assesses the percentage of discharges for members six years of age and older who were hospitalized for treatment of selected mental health disorders, and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization with a mental health practitioner.

FUH 7 Days: Analysis


The PA CHIP HEDIS 2014 Follow-Up Care After Hospitalization For Mental Illness - 7 days weighted average was 58.07% which was 2.52 percentage points below the HEDIS 2013 weighted average of 60.59%. Nine PA CHIP contractors reported rates for this measure with five contractors reporting increased rates and four contractors reported decreased rates from HEDIS 2013 to HEDIS 2014. Seven-day follow-up rates ranged from a low of 33.82% to a high of 80.65%.

Table 3.62: Follow-up Care After Hospitalization For Mental Illness – 7 Days

HEDIS 2013	HEDIS 2014	PA CHIP Contractor
58.82	80.65 ↑	Geisinger
64.15	72.34 ↑	Highmark BS
67.78	66.93 ↓	UPMC for Kids
64.86	61.76 ↓	Capital Blue Cross
76.04	61.54 ↓	Keystone East
60.59	58.07 ↓	PA CHIP Weighted Average
50.91	57.78 ↑	First Priority Health
52.38	55.67 ↑	Highmark BC/BS
38.81	46.23 ↑	UnitedHealthcare
63.37	33.82 ↓	Aetna
NA	NA	Kidz Partners

- NA = Denominator <30
- Bold numbering identifies rates that are above the PA CHIP Weighted Average
- HEDIS 2013 is the first reporting year for this measure for PA CHIP Contractors

Figure 49: Follow-up Care After Hospitalization For Mental Illness – 7 Days



- NA = Denominator <30

FUH 30 Days: Analysis

The PA CHIP HEDIS 2014 Follow-Up Care After Hospitalization For Mental Illness - 30 days weighted average was 78.33% which was 3.15 percentage points below the HEDIS 2013 weighted average of 81.48%. Nine PA CHIP Contractors reported rates for this measure, with five contractors reporting increased rates and four contractors reporting decreased rates from HEDIS 2013 to HEDIS 2014. Thirty-day follow-up rates ranged from a low of 66.98% to a high of 87.10%.

Table 3.64: Follow-Up Care After Hospitalization For Mental Illness – 30 Days


HEDIS 2013	HEDIS 2014	PA CHIP Contractor
82.35	87.10 ↑	Geisinger
79.25	85.11 ↑	Highmark BS
81.90	84.54 ↑	Highmark BC/BS
80.00	82.22 ↑	First Priority Health
87.78	81.10 ↓	UPMC for Kids
87.50	78.63 ↓	Keystone East
81.48	78.33 ↓	PA CHIP Weighted Average
87.84	75.00 ↓	Capital Blue Cross
82.18	73.53 ↓	Aetna
58.21	66.98 ↑	UnitedHealthcare
NA	NA	Kidz Partners

- NA = Denominator <30

- Bold numbering identifies rates that are above the PA CHIP Weighted Average

- HEDIS 2013 is the first reporting year for this measure for PA CHIP Contractors

Figure 50: Follow-Up Care After Hospitalization For Mental Illness – 30 Days



- NA = Denominator <30